


AAC-TR-9205/79

**NOVEMBER 1979** 



MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT: A SYSTEM DYNAMICS MODEL OF VIABILITY

FINAL REPORT - VOLUME 2

Gary A. Hill Peter C. Gardiner

Contracte No. DCPA01-78-C-0324 FEMA WORK UNIT NO. 4341-E



į

4

Approved for Public Release Distribution Unlimited

SPONSORED BY:

FEDERAL EMERGENCY MANAGEMENT AGENCY Washington, D.C. 20472



ANALYTICAL ASSESSMENTS CORPORATION
Post Office Box 9758
Marina del Rey
California 90291
4640 Admiralty Way, Marina del Rey, California 90291 • 213/822-2571

FILE COPY

80 8 7 074

AAC-TR-9205/79 NOVEMBER 1979

(2)

# MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT; A SYSTEM DYNAMICS MODEL OF VIABILITY.

1.171 7 4

FINAL REPORT - VOLUME 2

BY:

10 Gary A./Hill Peter C./Gardiner

15)

Contract No. DCPAØ1-78-C-Ø324 FEMA WORK UNIT NO. 4341-E

Approved for Public Release Distribution Unlimited

## **FEMA Review Notice**

This report has been reviewed in the Federal Emergency Management Agency and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Federal Emergency Management Agency.

### **FOR**

FEDERAL EMERGENCY MANAGEMENT AGENCY Washington, D.C. 20472



ANALYTICAL ASSESSMENTS CORPORATION
Post Office Box 9758
Marina del Rey
California 90291
4640 Admiralty Way, Marina del Rey, California 90291 • 213/822-2571

(1) P1. 1.1 + + (V.1. 1. 2).

リ上)**ユタ**・

THIS PAGE INTENTIONALLY LEFT BLANK

### SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

| REPORT DOCUMENTATION PAGE  | READ INSTRUCTIONS BEFORE COMPLETING FORM  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|
|  | 3. RECIPIENT'S CATALOG NUMBER   |  |  |  |  |  |  |  |
| AD-A0877   | 08  |  |  |  |  |  |  |  |
| Managing the U.S. Economy in a Post-Attack Environment: A System Dynamics Model of Viabality | 5. TYPE OF REPORT & PERIOD COVERED<br>Final Report<br>Volume 2                          |  |  |  |  |  |  |  |
|  | 6. PERFORMING ORG. REPORT NUMBER AAC-TR-9205/79   |  |  |  |  |  |  |  |
| 7. AUTHOR(e)   | 8. CONTRACT OR GRANT NUMBER(s)  |  |  |  |  |  |  |  |
| Gary A. Hill<br>Peter C. Gardiner  | DCPA01-78-C-0324  |  |  |  |  |  |  |  |
| Analytical Assessments Corporation  Post Office Box 9758  Marina del Rey, CA 90291           | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>FEMA Work Unit 4341-E |  |  |  |  |  |  |  |
| 11. CONTROLLING OFFICE NAME AND ADDRESS Federal Emergency Management Agency                  | November 1979   |  |  |  |  |  |  |  |
| 1725 I Street, N.W. Washington, D.C. 20472   | 13. NUMBER OF PAGES<br>64 + x   |  |  |  |  |  |  |  |
| 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)                   | 18. SECURITY CLASS. (of this report) UNCLASSIFIED                                       |  |  |  |  |  |  |  |
| 16. DISTRIBUTION STATEMENT (of this Report)  | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A  |  |  |  |  |  |  |  |

Approved for public release; distribution unlimited.

### 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

### 18. SUPPLEMENTARY NOTES

This report is Volume II of the final report under this contract. Volume I is "Civil Preparedness and Post-Attack U.S. Economic Recovery: A State-of-the-Art Assessment and Selected Annotated Bibliography" by A. Feinberg. Volume III is "Options for Accelerating Economic Recovery After Nuclear Attack" by G. Quester.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Viability Post-attack management policy System dyanmics Resource management Simulation model


20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The primary objective of this study is to determine if post-attack viability (or collapse) is automatic for a given system, or if management actions can influence the outcome. In investigating this problem, the approach focuses on exploring the structure of a post-attack system for instabilities, identifying the processes that could lead to collapse, and then evaluating if and how alternative post-attack management policies can mitigate the effects of those instabilities.

### SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

At the conceptual level, the approach characterized a system's viability in terms of an inventories "race." Since the immediate post-attack period would be marked by a reliance on stockpiles and inventories to sustain the surviving population, the critical question was whether inventories would be depleted before the economy could replenish supplies by reorganizing initial production facilities. Additionally, the study attempted to determine how various types of systemic instabilities can affect this inventories race and how management actions can effectively overcome any debilitating effects, that these instabilities might have on the ability of the nation to recover. These instabilities may appear due to the delays and uncertainties affecting such basic economic support systems as communication and transportation networks, organizational structures and resource allocation mechanisms.

A system dynamics model is constructed of a post-attack economy to study the management problems affecting these support systems in the immediate post-attack period. Through repeated simulations, the model is able to demonstrate the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While the results should be qualified as being preliminary in the sense that this effort is a first pass at the problem, there is sufficient evidence to proceed with a more extended analysis. The evidence suggests that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management actions. The simulation results from the model clearly indicate that viability is not automatic even if adequate productive capacities survive; the same system can produce both viability and collapse depending on the choice of policies and management strategies. If ineffective pre-attack and post-attack policies are followed, the potential for debilitating instabilities arising greatly increases and so, too, does the potential for system collapse.



### **PREFACE**

This report has been written as part of Analytical Assessments Corporation's study of the management of the post-attack U.S. economy. Two other reports have been written covering other aspects of AAC's research on the management of the post-attack U.S. economy. They are:

A. Feinberg, "Civil Preparedness and Post-Attack U.S. Economic Recovery: A State-of-the-Art Assessment and Selected Annotated Bibliography," AAC-TR-9204/79, October 1979; and

G. Quester, "Options for Accelerating Economic Recovery After Nuclear Attack," AAC-TR-9203/79, July 1979.

Feinberg's report contains an assessment of the state-of-the-art of modeling and analysis for civil preparedness and management of the post-attack U.S. economy. This evaluation was derived considerably from a large volume of related literature. A selected, annotated bibliography of over 100 entries follows the state-of-the-art assessment.

Literature areas reviewed included historical disasters, industry studies, post-attack viability, survival and economic recovery, and civil defense, both U.S. and Soviet. Some literature on modeling methods was researched. Modeling methods covered were input/output, econometrics, optimization, and system dynamics.

Analysis of the literature and current state-of-the-art revealed several key management aspects of he post-attack economy. These aspects were resource allocation and distriution, energy, information, communication, command and control (C<sup>3</sup>), finance, social and behavioral response, and government authority. Most of these managerial aspects were found to have been neither the highly analyzed nor specifically modeled.

Assessing modeling needs, available modeling methods, and deficiencies in the state-of-the-art led to a recommendation for further development of system dynamics models for management of U.S. post-attack economic recovery. System dynamics is suggested because of its flexibility, potential scope and capabilities for handling non-linearities, dynamic effects, and soft items such as social and behavioral responses.

The results of Feinberg's review led to the development of a system dynamics model of the management of the U.S. economy reported on in the present report. The primary focus of this study is to determine if post-attack viability (or collapse) is automatic for a given system, or if management actions can influence the outcome. In investigating this problem, the approach focuses on exploring the structure of a post-attack system for instabilities, identifying the processes that could lead to collapse, and then evaluating if and how alternative post-attack management policies can mitigate the effects of those instabilities.

At the conceptual level, the approach that is taken characterizes a system's viability in terms of an inventories "race." Since the immediate post-attack period would be marked by a reliance on stockpiles and inventories to sustain the surviving population, the critical question is whether inventories will be depleted before the economy can replenish supplies by reorganizing initial production facilities. Additionally, the study attempts to determine how various types of systemic instabilities can affect this inventories race and how management actions can effectively overcome any debilitating effects that these instabilities might have on the ability of the nation to recover. These instabilities may appear due to the delays and uncertainties affecting such basic economic support systems as communication and transportation networks, organizational structures and resource allocation mechanisms.

A system dynamics model is constructed of a post-attack economy to study the management problems affecting these support systems in the immediate post-attack period. Through repeated simulations, the model is able to demonstrate the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While the results should be qualified as being preliminary in the sense that this effort is a first pass at the problem, there is sufficient evidence that it would be profitable to proceed with a more extended analysis. The evidence suggests that the issue of viability is greatly dependent on effective emergency preparedness policies and resource

management actions. The simulation results from the model clearly indicate that viability is not automatic even if adequate productive capacities survive; the same system can produce both viability and collapse depending on the choice of policies and management strategies. If ineffective pre-attack and post-attack policies are followed, the potential for debilitating instabilities arising greatly increases and so, too, does the potential for system collapse.

Quester's report is a companion piece to these two studies. It starts with the conclusion of these two studies, as well as many other studies of the post-attack recovery, that we are likely to fail to exploit to the fullest our potential for economic recovery following a nuclear attack because of failures in post-attack management in both the political and economic sectors. It also presumes that large-scale changes in peacetime arrangements will not win acceptance, so that the best hope for improvement is to look for more marginal adjustments in our continually evolving peacetime management systems, adjustments which might contribute substantially to post-attack recovery at little peacetime cost.

In addition, Quester's report reviews general technological trends in key areas with regard to whether they will tend to make the government reorganization problems easier or harder. Inferences are drawn about relatively inexpensive pre-attack actions, based on exploiting favorable technological trends, which could be taken to make the post-attack management problems more tractable. The report is optimistic, in that it believes that a number of such djustments deserves to be explored. The post-attack considerations addressed include making government more effective in bringing about economic recovery and, very importantly, making sure that government continues as government, i.e., that we do not sink into anarchy.

This analysis in Quester's report is intended to put upon the table a number of new ideas worthy of further consideration. It is not within the scope of this analysis to evaluate these ideas. Consequently, it may turn out that some of these ideas do not stand up to the scruntiny of further exploration. Nevertheless, this report should serve the important purpose of providing a rich menu of management policies which should be evaluated further.

THIS PAGE INTENTIONALLY LEFT BLANK

# TABLE OF CONTENTS

| REPORT  | DOCUM  | ENTAI | CION | PAG  | E    | [DI | F  | on   | m | 14 | 73 | 3) | • | • | • |   | • | • | • | • | • | ٠. | • |   |   | • |   | iii |
|---------|--------|-------|------|------|------|-----|----|------|---|----|----|----|---|---|---|---|---|---|---|---|---|----|---|---|---|---|---|-----|
| PREFACI | ε      |       |      |      | •    |     |    | •    | • |    |    |    | • |   | • | • |   |   | • | • | • | •  | • | • | • | • |   | v   |
| TABLE ( | OF CON | rents | ·    |      |      |     |    | •    |   |    | •  |    |   |   | • |   |   |   | • |   |   |    |   |   |   |   | • | ix  |
| I.      | OVERV  | IEW   |      |      | •    | •   |    |      |   | •  | •  |    |   | • | • |   | • | • |   | • | • | •  |   |   |   | • | • | 1   |
| II.     | BACKG  | ROUNI |      |      | •    |     |    | •    |   |    |    |    |   |   |   |   | • |   | • | • | • |    | • | • | • | • |   | 3   |
| III.    | APPRO  | ACH   |      |      | •    |     |    | •    |   |    | •  |    | • |   |   |   | • |   | • | • | • | •  | • | • | • | • |   | 7   |
| IV.     | MODEL  | DESC  | CRIP | TION | 1.   |     |    | •    |   | •  | •  | •  | • | • | • | • | • | • |   | • | • | •  |   | • |   |   |   | 13  |
| v.      | MODEL  | PARA  | MET  | ERS  | •    |     |    | •    |   |    | •  |    | • | • | • | • |   | • |   |   | • | •  |   | • |   | • | • | 23  |
| vi.     | RESUL: | rs .  |      |      | •    |     | •  | •    | • | •  | •  |    | • | • | • |   | • |   | • | • | • |    | • |   |   |   | • | 25  |
| VII.    | CONCL  | USION | ıs . |      |      |     | •  | •    |   | •  | •  |    | • | • | • |   |   | • | • | • |   | •  |   | ٠ |   |   | • | 37  |
| VIII.   | BIBLI  | OGRAF | PHY  |      | •    | •   | •  | •    | • |    | •  |    | • |   | • |   |   |   | • |   |   | •  | • | • |   | • |   | 39  |
| APPEND  | IX A:  | PAM   | 4 C  | OMPU | JTE  | R C | UI | 'PU' | Т |    |    | •  |   |   | • |   |   |   | • |   |   |    | • | ٠ |   |   |   | A.1 |
| APPEND  | IX B:  | DIST  | RIB  | UTIC | ON I | LIS | T  |      |   |    |    |    |   |   |   |   |   |   |   |   |   |    |   |   |   |   | _ | B.1 |

### I. OVERVIEW

Several studies have examined the problems of national recovery after a nuclear attack. Overwhelmingly, these studies conclude that if the nation remains viable, recovery is certain to follow. Viability, as the term is used here, is essentially a race between the drawdown of inventory and inventory replenishment in the post-attack period. If the rate of the drawdown of food, medicine, heating oil, and so on exceeds the rate of replenishment over a sufficiently long time horizon, the post-attack economy will collapse. However, if the drawdown rate is eventually balanced or exceeded by the replenishment rate, the system is said to be viable and recovery will follow.

What then influences viability? The answer is relatively simple: Pre- and post-attack management and the inherent characteristics of the social system being managed. Questions about viability can be reduced to questions about how management and system characteristics singularly and jointly affect viability. Implicit in this viewpoint is the assumption that management, properly exercised, can mean the difference between system viability and system collapse, for if a system's inherent characteristics effectively guaranteed a priori either viability or collapse, regardless of the management action taken, there would be little point in studying pre- and post-attack management. If, on the other hand, viability or collapse can be demonstrated to be a function of management actions coupled with system characteristics, the case could be made for studying pre- and post-attack management as a means of insuring viability. Viewed in this light, the research question can now be stated: "Given some system, is viability (or collapse) automatic for that system, or can management by its actions influence the eventual outcome?"

This approach permits us to determine in a preliminary fashion if viability is independent of management actions. If viability cannot be shown to be influenced by management actions, there would be little need to focus resources on further developments in this area. A system would simply be viable or collapse regardless of what managers do. If, on the other hand,

viability does depend on which set of management policies are actually in effect at the time of and immediately following an attack, subsequent research can then proceed to develop a better understanding of the impacts of pre- and post-attack management to insure national viability.

The basic philosophy of this modeling effort is to construct a model that represents a social system to determine if it contains fundamental instabilities in terms of its inherent characteristics that lead to either viability or collapse, and further, to see if management actions can be introduced that influence these results. For this reason, we are not trying to determine what is likely to happen. Rather, we are attempting simply to discover if and where instabilities might occur and what effect management actions might have on these instabilities.

The results of the research demonstrate that neither viability nor collapse is inherently automatic in a system. When tested under conditions of variable management parameters and policies, the same system produced instabilities leading to either collapse or viability. Thus viability, at least in terms of this model, is not certain but, rather, is directly a function of management actions and interventions both before and immediately after an attack. The remainder of this report discusses in detail the model construction, the background conceptualization of the model, and the policies and parameters that lead to both collapse and viability.

### II. BACKGROUND

Several recent studies of the post-attack period underscore the importance of understanding how resource management problems could affect the economic recovery of the nation should a nuclear exchange occur. Bolstered by findings from historical cases of post-war and disaster recovery efforts, these studies conclude that the most critical recovery problems do not involve either the production capabilities of a nation or the availability of raw materials. Rather, the critical problems have concerned management of the surviving resources.

In the situations examined, food and medical supplies, raw materials and finished goods, machinery and equipment have been found to survive in sufficient quantity to provide the economic capabilities for recovery, but locating and matching the surviving resources to the points of need have hampered the recovery operations. The most plausible explanation for this concerns the extent to which economic recovery requires effective resource management; and to be effective, management requires the support of communication and transportation networks, organizational structures, and resource allocation mechanisms. Not unexpectedly, these supporting systems have not been as efficient or as reliable as they are in a normally functioning economy.

Such resource management problems would be more acute during the period immediately following a nuclear exchange. Cognizant emergency preparedness agencies would require accurate information as to what resources are needed where, where those resources are located, and how those resources can be allocated equitably and transported to the points of need. Again, to

See for example, C. R. Neu, Economic Models and Strategic Targeting (U), The Rand Corporation, R-1864-ARPA, June 1976, SECRET; H. M. Berger, A Critical Review of Studies of Survival and Recovery After a Large-Scale Nuclear Attack, R&D Associates, RDA-TR-107006-009, December 1978; and A. Feinberg, Civil Preparedness and Management of the Post-Attack Economy: A State-of-the-Art Review, Analytical Assessments Corp., AAC-TR-9204/79, September 1979.

accomplish this would require efficiently functioning support systems. The problem, however, is that the immediate post-attack period is likely to be characterized by such problems as communication systems that provide incomplete and/or contradictory information, transportation systems that can not function due to failures to match vehicles with drivers and fuel supply points, and organizational structures with competing lines of authority that create delays and confusion in resource allocation decisions. As summarized by one writer, the major problems will be in developing the transportation, communications, and organizational capabilities required to bring these resources to bear at the points where they are needed. 2

Given these circumstances, it appears highly probable that at the point when the nation is in greatest jeopardy, there is also the greatest potential for instabilities arising that would lead to the collapse of the system. Obviously, careful pre-attack planning of post-attack management policies is needed to help mitigate the effects of these potential instabilities and thus improve the nation's chance for timely recovery to its pre-attack status as a major world power.

It is somewhat ironic that while effective resource management policies are recognized as being critical for economic recovery, little attention has been paid to the problem of properly measuring the impact of various postattack management policies on the performance of the economy. For example, what effects do inventories of key supplies and equipment and their prepositioning have on the performance of the post-attack economy? what are the critical delays that will degrade economic recovery? where are those delays found in the communication and transportation networks? in the organizational structures? what effects do alternative allocation mechanisms have on productivity?

<sup>&</sup>lt;sup>2</sup>S. G. Winter, Jr., Economic Viability After Thermonuclear War: The Limits of Feasible Production, The Rand Corporation, RM-3436-PR, September 1963.

A major reason for the inattention is that those studies that investigate post-attack economic recovery typically assume that since sufficient production capabilities and resources will exist after a nuclear exchange, it is only a matter of time before the growth of the economy begins anew. In other words, it is only a question of when. But, if it is possible to show that with the same initial conditions after an attack, the economy of the nation can remain viable or collapse depending on which post-attack management policies (and in some cases, pre-attack policies) are selected, the need for exploring the problem of economic viability would be undeniable.

The present study reports on research investigating this problem. The central task was to explore the structure of the post-attack economic system for instabilities, identify the processes that would lead to its collapse, and then evaluate if and how alternative pre-attack preparations and post-attack management policies could mitigate the effects of those instabilities.

THIS PAGE INTENTIONALLY LEFT BLANK

### III. APPROACH

The critical first step in any modeling effort is to develop a conceptual model of the "real" world system that is being studied. This conceptual model then forms the basis for the simulation model that will be constructed. Since there are many different ways to conceptualize any "real" system (different levels of aggregation, different structural components chosen for particular emphasis, and so on), considerable thought should be given to the question of what you want the model to be capable of demonstrating.

The present case is no different; several caveats have guided the selection of both the general modeling approach and the specific elements included in the model. At the conceptual level, the most important initial consideration has been our characterization of the system serving as the "real" world referent: post-attack economic viability. We framed the model in terms of an inventories "race." The analogy is useful in that immediately after any nuclear exchange, there would be a period during which the surviving population would be sustained by pre-attack stockpiles and inventories. Shortly thereafter, efforts would begin to reorganize the economy to start up production of critical supplies and materials.

Winter, who first presented the conceptual notion of an inventories race to depict the problem of post-attack viability, succinctly characterized the challenge of post-attack management:

Unless production of the necessities of life can be resumed, whatever success there has been in protecting the population from the immediate consequences of the war will dissipate as supplies of food, medicines, and heating oil disappear; the surviving thermal generating plants exhaust their supplies of coal and fuel oil, and starvation, disease, and exposure take their toll. 1

S. G. Winter, Jr., Economic Viability after Thermonuclear War: The Limits of Feasible Production, p. 10, The Rand Corporation, RM-3436-PR, September 1963.

In other words, it is during this period that the race will be won or lost. If the rate of drawdown on inventories exceeds the rate of replenishment over a sufficiently long period, the scenario depicted by Winter would emerge and the post-attack economy would collapse. If, however, the drawdown rate is eventually balanced or exceeded by the replenishment rate, the system would become viable and recovery would follow. Conceptualized in this manner, the first requirement is to construct a model with the capability of testing for systemic instabilities likely to influence the outcome of the race.

A second general requirement of the model concerns its ultimate use. Although the general focus of the model concerns the instabilities affecting the inventories race, the model must be capable of evaluating the effects of alternative post-attack management policies on those instabilities identified in the system. Without this capability, it would be impossible to answer the basic question of whether or not it is possible to demonstrate how the same system can collapse or remain viable depending upon the emergency preparedness policies adopted in the post-attack period.

The third requirement for the model is more specific. It concerns the inputs and constraints that would operate in the model. Since it is highly likely that post-attack demand would be radically different from pre-attack demand, the model should not utilize pre-attack coefficients in the equations depicting post-attack economic relationships. For example, where productivity may be primarily a function of capital investment in the pre-attack economy, productivity in the post-attack economy may depend heavily on the availability of food and heating oil and only to a lesser extent on the capital available. It is not likely that this relationship between subsistence level and productivity would emerge in an econometric model, for instance, where economic behavior is depicted by equations derived from the modeler's understanding of a normally functioning economy.

A fourth, and related requirement for the model pertains to the nature of the relationship between economic inputs and outputs. Characteristically, input/output relationships are represented as being linear, a specified amount

of input "x" results in a specified amount of output "y" with increments of "x" resulting in linear increments of "y." In the post-attack economy, the situation would be quite different due to the level of damage and destruction. For example, if a significant portion of an industry's capacity has been destroyed, linear incremental inputs will not result in corresponding linear increments of output. Thus, the model must be capable of operating with non-linear production factors.

Delays will be inevitable in the post-attack economy. Thus, a fifth requirement of the model is that it be capable of simulating the various delays that would affect the start-up of production. Examples would be delays affecting transportation, retraining labor, information flows, decision times, repair and replacement times, and the lead times affecting production processes. These delays would not be uniform nor would they be isolated in their effects. Two or more delays may create either synergistic or unwelcomed higher order effects in the system. Since these delays and their effects are an essential feature of the instabilities we are searching for, their inclusion is critical to the overall effort.

A sixth requirement of the model is that it not operate under steady-state or static conditions. The immediate post-attack period is indelibly marked by dynamic time dependencies that cannot be ignored in evaluating the viability race. These include resource allocation decisions, time lags in production and distribution cycles as well as inventory depletion and capital accumulation for investment. A model operating with steady-state assumptions would miss several of the fundamental sources of instabilities that could lead to the system's potential collapse.

Uncertainty is also a major factor to be considered in analyzing post-attack viability. Uncertainties abound, particularly in the period immediately following an attack when recovery operations are beginning and the information critical to their success is at best incomplete and at worst unreliable. Thus, a seventh requirement of the model is that it be capable of operating with variable uncertainties about the delays that will affect recovery.

An eighth consideration for the model is that it be able to optimize management policies. Such optimizations may be applied either as a procedure integrated into the model or as a "front-end" to a compatible simulation model. Basically, what is required is that procedures be used to run through the model's variables to determine the 'best' outcome.

A ninth requirement of the modeling approach is that it be able to operate at different levels of aggregation. Structurally, the model will consist of several sectors that represent various subsystems of the postattack economy. To minimize the amount of time required for detailed data collection, the approach should follow a "top-down" procedure for constructing the model. In this manner, the aggregate representations of the postattack economy would be used to capture its essential features during this viability phase, and then those sectors which are the most likely to produce potential instabilities would be expanded and further disaggregated to explore those instabilities further.

A tenth and final requirement of the model also concerns the use of "hard" data. Actually, data are less a requirement for a modeling capability than a general strategy for approaching the modeling problem. Given the approach noted above concerning the use of aggregate levels to represent the model's subcomponents, it should be apparent that the modeling approach we espouse is one in which patterns of outcomes cast in terms of rough approximations are favored over precise point estimate results. For one thing, the data requirements for precision are enormous and even then point-estimate precision remains elusive except for the most immediate temporal points. Moreover, the modeler typically becomes rapidly bogged down in Herculean data gathering efforts only to discover in the long run that those data efforts were not required for each subcomponent at the level of detail needed to investigate the phenomena of interest.

Also, since the primary research interest is in discovering whether post-attack management could make the difference between viability or collapse, the model only has to be able to produce both outcomes (viability and collapse) through general policy and parameter adjustments. Extensive resources would not have to be focused on precisely calibrating the model

with detailed data sets. In effect, what this modeling strategy means is that we have chosen to explore the general behavior of the system in an attempt to identify the potential regions of instability, given the general parameters and policies that may exist. While a more precise determination of these parameters would be required for specific recommendations, the general approach followed in the present effort is more than adequate to answer the proposed research question.

Given the array of requirements and capabilities presented in the preceding discussion, the most appropriate modeling approach was found to be system dynamics. System dynamics is essentially a simulation modeling paradigm (that incidentally utilizes a specialized, tailor-made, and highly efficient programming language, DYNAMO) that aids modelers in conceptualizing, formulating, and operating models of "real" world systems. System dynamics was developed initially by Jay Forrester and his colleagues at Massachusetts Institute of Technology to aid in understanding the dynamic behavior of complex systems. Fundamentally, system dynamics views systems as being comprised of components that are connected in circular, interlocking, and time-delayed manners and that the structures and processes that comprise these systems are equally important as the behavior characteristics of the system components themselves.

System dynamics has several recommending attributes. First, and perhaps foremost, is the fact that this approach views systems as a series of interlocking feedback loops and it is the feedback that produces the behavior of the system over time. As stated earlier, system instabilities represent the focus of the present research effort. It is therefore entirely appropriate that a technique be used that analyzes system behavior in terms of positive and negative feedback loops since these two types of feedback loops and their combinations can produce the instabilities of interest.

See Jay W. Forrester, Industrial Dynamics, Cambridge: MIT Press, 1961; and Principles of Systems, Cambridge: Wright-Allen Press, 1968.

A second recommending feature, related to its feedback loop aspect, is that system dynamics has been demonstrated as an effective analytical technique for evaluating the effects of alternative policies on system behavior. Several notable studies have been conducted in such diverse fields as urban and regional studies, industrial production and marketing, criminal justice, energy policy, economics, and international systems. In each case, the models developed to study these systems have examined the systemic behavior under a variety of assumptions concerning policies that may influence the ultimate fate of the system under question. Perhaps, the report to the Club of Rome (The Limits to Growth) provides the strongest evidence of the policy orientation of the system dynamics approach.

At a more specific level, system dynamics is useful because of its versatility. For example, non-linear relationships are readily accommodated. In fact, system dynamics can operate with many types of non-linear relationships that help produce exponential, sigmoidal, or even oscillating system behavior. Similarly, the technique focuses on both negative and positive feedback loops and in the context of these loops, effects produced by delay mechanisms can easily be examined. And finally, the data requirements of system dynamics are such that highly aggregated representations can be used to model any system initially. More importantly, once the sensitivity of each structural component and its appropriate feedback loops are identified, those that are the most sensitive can easily be disaggregated and more precise bounds can be determined. The modeler is not required to disaggregate every structural component to provide a consistent level of analysis.

In summary, given the requirements of the research task and characteristics of the system dynamics approach, the application of this particular dynamic simulation technique seemed an obvious way to proceed.

### IV. MODEL DESCRIPTION

Winter's early study of the limits of feasible production in a post-attack economy is one of the earliest quantitative treatments of the problems posed by limited resources and technological capabilities in the post-attack period. While Winter did not address the organizational problems involved in the post-attack economy (although he discusses them qualitatively in a later paper), he did offer a definition of what constitutes viability and presented a simple model of the technological requirements for achieving economic viability. According to Winter:

An economy is viable if it is functioning and capable of producing, without external aid, an output sufficiently large and appropriate in composition to:

- (a) provide its workers and their families with a level of consumption high enough to maintain their productivity and to give them the incentive to continue to contribute their services to the economy in a socially productive way;
- (b) meet any fixed claims on its output that may exist;
- (c) maintain the stock of real capital (including inventories) required to accomplish (a) and (b).

Using this definition, Winter goes on to note that since it is unlikely that the economy would be capable of meeting these requirements in the immediate post-attack period, the problem is to reorganize the surviving resources to provide for a viable economy. Again, although Winter disregards "effects of the war on social arrangements by which economic activity is guided," Winter argues that explanations for non-viability would be narrowed to the fact that critical segments of capital stock

S. G. Winter, Jr., Economic Viability after Thermonuclear War: The Limits of Feasible Production, The Rand Corporation, RM-3436-PR, September 1963.

<sup>&</sup>lt;sup>2</sup>Winter, 1963, p. 17.

(including labor skills) would be lost. Thus, economic viability could be achieved, from the technological perspective, if the remaining capital stock (inventories and skills included) is both adequate in size and composition to:

- (a) restore the capital stock to a level and composition consistent with viability;
- (b) meet any fixed requirement that may exist;
- (c) support the members of the labor force and their families at a level sufficiently high to prevent a significant reduction in the labor supply available for the reorganization effort. 3


The diagram in Figure 1 depicts graphically the essential elements of Winter's model. Time is the critical element in the "inventories race" of which there are two basic outcomes. Either the production capacity  $(K_0)$  of the economy will be sufficient to achieve the viability threshold  $(\overline{K})$  and meet the requirements noted above (represented by the solid line  $K_0$ ) or, that capacity will not be achieved, inventories  $(S_0)$  will be depleted, and the economy will collapse (represented by the dashed line).

Winter's framework for analysis is extremely useful in that it focuses attention on and underscores the importance of understanding the fundamental problem in achieving viability: restoring productive capacity before inventories are depleted. Although highly aggregated and admittedly preliminary, Winter's approach and framework provide a useful point of departure for the present modeling efforts.

While Winter was interested in determining the technological constraints on achieving economic viability, the present effort expanded the analytic domain to include the organizational aspects that would affect the outcome

Winter, 1963, p. 18.

FIGURE 1
SUCCESS AND FAILURE IN ACHIEVING VIABILITY



K = Productive capacity

S = Inventory of food

= Labor

= Productive capacity required for viability

= Food inventory at end of survival period

K = Productive capacity at end of survival period

t = Time of depletion of food inventory

 $S_{o}/cL \approx Ratio of food stock to food requirements per period$ 

From Winter, 1963, p. 22.

of Winter's inventory "race." By expanding the analytic framework to include these organizational aspects, many of the critical resource management problems could be examined. It was noted at the outset of this report that historical case studies reveal how post-war economic recovery has been hampered due to inefficient communication and transportation networks, organizational structures, and resource allocation mechanisms—the basic support systems for effective resource management.

The pilot model we developed for studying these resource management problems in the immediate post-attack period focuses on these support systems since they represent the sources of instabilities that ultimately determine the viability of the nation. The central question is what conditions lead to these instabilities and how can alternative emergency preparedness policies mitigate their effects?


To answer these questions, a system dynamics model was constructed of a post-attack economy using Winter's model as a point of departure. The behavior of this model reveals the sources of instabilities in the post-attack economy and identifies their characteristic effects on the performance of the economy. Through repeated simulations, insights are gained as to how alternative emergency preparedness policies can mitigate the effects of these instabilities and insure viability and the eventual recovery of the nation.

The model was developed in several stages with each stage representing an enhancement and refinement over the previous stage. The current version, PAM4 (Post-Attack Model No. 4), operates with four basic sectors that represent the structural components of the post-attack economic system. These four are capital plant and equipment, intermediate products, labor, and food supplies. The food supply sector is further disaggregated into production, transportation, and distribution (called matched food supply) subcomponents.

These sectors and subsectors are interrelated through interlocking feedback loops that depict the interaction of these sectors in terms of information and material flows. Figure 2 presents this feedback loop structure. It is a causal loop diagram of the post-attack system that defines

FIGURE 2

CAUSAL LOOP DIAGRAM



the basic causal relationships between the system variables. The causal relationships cluster into the feedback loops structure shown in Figure 2.

Several feedback loops are presented in Figure 2. The arrows indicate the direction of the causation between variables while the (+) and (-) signs indicate the direction of causal influences. For example, the amount of the matched food supply available per person affects the worker productivity in the same direction, a positive manner in this example, i.e., the greater the food supply per person the higher the worker productivity. Worker productivity influences the food production rate which in turn affects the amount of food in production that determines the size of the food supply. Depending on the transportation delay, the food supply affects the matched food supply that then determines the matched food supply per person; thus completing the feedback loop.

Obviously other factors also operate in this feedback loop such as the availability of workers and transportation and the effect of information inputs to determine how much and what types of food need to be produced and where it should be distributed. Appendix A contains a complete listing of the model's equations which can be consulted to obtain a more complete understanding of the system's structure and operating relationships.

Figures 3 through 6 display the causal loop relationships operating in PAM4 (see Figure 2). Basically, each diagram depicts the interrelationships between food shortage, worker productivity and demand, and inventory drawdown and replacement rates in the respective sectors of the model. The cross-hatches appearing on selected arrows indicate that a delay operates between the two points. For example, retraining delays affect the reassignment of workers from a general labor pool to individual sectors, transportation delays affect the distribution of food, and production delays reflect the time required to grow food or produce intermediate products.

FIGURE 3
CAPITAL SECTOR




FIGURE 4

INTERMEDIATE PRODUCTS SECTOR




FIGURE 5
FOOD SECTOR





FIGURE 6
WORKER POOL



### V. MODEL PARAMETERS

PAM4 served as the basis for examining the potential instabilities affecting post-attack economic viability. (Recall that the strategy was to develop cases in which the same model structure would produce collapse or viability as a function of the management policy variables selected to represent the model's operating parameters.) Since the current research interest centered around discovering whether viability is in fact an issue in postattack management, the effort focused on whether or not the same model could produce both outcomes--collapse and viability--by adjusting these policy parameters rather than on trying to establish with any great accuracy the specific parameters characterizing the existing system. The rationale for this approach is simply that if viability cannot be shown to be a potential problem, there is little need to focus extensive resources on developing exact sets of numbers and policies for precise calibration of the model. If, on the other hand, viability cannot be demonstrated as a certainty, and it in fact depends on which sets of numbers and policies are actually in effect at the time of an attack, subsequent research efforts can then focus on improving the model's precision.

The search for instabilities focused on the key operating parameters in PAM4. These parameters represent areas in which alternative management policies can be implemented to influence and direct the system. They include:

- the effect of initial conditions on the model, i.e., the amount of product on hand and in the pipeline for each sector;
- the effect of food shortages on labor productivity;
- the effect of communication delays in ordering food supplies for distribution;
- the effect of various combinations of external fixed requirements that draw on each sector's inventories;
- the effect of rising expectations concerning food supplies as time progresses in the post-attack period;

- the effect of labor allocation rules on overall economic performance; and
- the effect of time delays associated with locating and retraining labor as workers are transferred between sectors.

Each of these parameters has a range of values associated with it that were used in repeated simulations of PAM4. Since each parameter contains more than one value, the model could be tested under a variety of conditions by varying any combination of parameter values. For example, the tests for instabilities could be conducted under conditions of high or low fixed external requirements, short or long communication and labor allocation delays, high or low levels of stockpiles, and so on. The following section presents the results of these simulation tests.

### VI. RESULTS

The results of the simulation tests of PAM4 offer a number of useful insights regarding the nature of the instabilities affecting post-attack viability and lead to several conclusions concerning the effects alternative post-attack management policies have on those instabilities. Thus, the following discussion presents the results in terms of changes in the behavior of the system brought about through changes in its operating parameters and policies. In presenting these results, several choices exist for characterizing the behavior of the modeled system. Another way to state this is to say that various objective functions can be used to describe how the system's behavior changes under alternative operating conditions. The level of capital or intermediate product stocks, worker productivity, or food supplies represent, singularly or in combination, potential objective functions. In the present case, we have selected the amount of matched food available per person (MFAPP) as the primary criterion for assessing the system's performance. Since viability has been characterized as a 'race' between inventory drawdown and replenishment and since food represents a fundamental factor in worker survival and productivity, selecting this variable as the objective function seemed an obvious choice.

Simulations of the PAM4 model were run over a 24-month period, a time span that is generally regarded as the upper bound for the nation to regain viability. Since PAM4 is intended as a viability model, it does not include any capability for assessing economic damage in the trans-attack period. In other words, the model's calculations assume that an attack is over and that the initial conditions characterizing the system reflect the economic damage that occurred.

The results of the simulation test runs are presented in a framework similar to that used by Winter and presented previously in Figure 1. Like Winter, the results presented here examine the behavior of the system over time (the x-axis) but unlike Winter's conceptualization, our results employ the variable MFAPP as a surrogate for the productive capacity (K) and inventory of food (S). (Three times subsistence level is considered to be the

normal level of food consumption, as indicated on the y-axis of the graphs depicting the simulation results.) Similarly, where Winter denoted  $\overline{K}$  as the productive capacity necessary to achieve viability, we have selected a subsistence level of matched food supplies  $(F_s)$  to represent the viability threshold. Thus, in interpreting results, if the simulation tests reveal the system to be operating below this subsistence level  $(F_s)$  for an extensive period of time, the conclusion would be one that points to a pervasive system instability rendering the economy non-viable given the operating policies and parameters of that particular simulation test.

The results from the first set of simulation tests from PAM4 are displayed in Figure 7. These curves depict system viability versus non-viability as a function of the initial conditions of the nation's food supply stockpile when a subsistence level food rationing policy has been initiated immediately following a nuclear attack. The first curve (presented in Figure 7 on the left) represents initial conditions under which the population has a matched food supply (on-hand) of one month at a (40 pound/month per capita) subsistence level, and another month of food supplies inventories at remote production and distribution points. Clearly, the system portrayed by PAM4 and the pre-attack conditions (food stockpiles) and post-attack management policies (subsistence level rationing) do not constitute a viable system.

Figure 7 also displays the results of PAM4 simulations when food supply inventories (not co-located with consumers) were set at six- and twelvementh levels. Given an initial condition of a six-month stockpile, the subsistence level is maintained for five months then drops below this level for approximately four months. As seen in Figure 7, a turn-around occurs at month 15 when the matched food supply begins to decrease, leading to the eventual collapse of the system. When simulated using an initial condition of a 12-month food supply stockpile, this downturn does not occur. The amount of food available per capita remains above the subsistence level after the brief drop between the fifth and tenth month.

Figure 8 presents the results of a second series of simulations. In these simulations, the same parameters and policies as those in Figure 7

FIGURE 7

VIABILITY AND FOOD SUPPLY (1 MONTH MATCHED FOOD SUPPLY ON HAND)





FIGURE 8





were used except that the initial amount of food available per person (co-located with consumers) was set at twice the subsistence level. The results for the three cases (1-, 6-, and 12-month stockpiles) examined previously reveal once again that viability conditions are met in only one case—the 12-month food supply stockpile.

Figure 9 extends the analysis by presenting the simulation results using initial conditions in which the matched food supply was set at three times the subsistence level. Again, only the 12-month stockpile case met the viability condition.

The results displayed in Figures 7 through 9 reflect post-attack management policies and procedures that are operating under favorable conditions. For example, the communication and transportation delays that affect management activities have been set at one month in these simulations of PAM4. In this sense, the system has been simulated using favorable conditions. More realistically, however, the post-attack period will probably be characterized by longer transportation and communication delays than have been used in the example runs thus far.

Figures 10 through 12 present the results of PAM4 simulations when longer transportation delays are introduced into the system. These simulations were run using the assumptions of a 12-month food supply stockpile and three different initial conditions regarding the availability of matched food supplied (those supplies on hand that do not have to be transported and distributed). Figure 10 is based on a matched food supply at subsistence levels, Figure 11 at twice subsistence levels, and Figure 12 at three times subsistence levels. The solid line reflects the undelayed system while the dashed line portrays the effects of an initial three-month delay in transporting and distributing the food supplies to the points of need.

As seen in these figures, the introduction of these transportation delays significantly degrades the performance of the post-attack economy as measured by the level of the matched food supply available per person. Although the simulation results for each case show food availability, returning above the threshold level, the nature of the recovery raises an interesting question; namely, how long can food availability remain below subsistence levels before the system collapses? In both Figures 10 and 11,

FIGURE 9

VIABILITY AND FOOD SUPPLY
(3 MONTH MATCHED FOOD SUPPLY ON HAND)




FIGURE 10

VIABILITY AND FOOD SUPPLY WITH TRANSPORTATION DELAY (1 MONTH MATCHED FOOD SUPPLY ON HAND)




FIGURE 11

# VIABILITY AND FOOD SUPPLY WITH TRANSPORTATION DELAY (2 MONTH MATCHED FOOD SUPPLY ON HAND)





FIGURE 12

VIABILITY AND FOOD SUPPLY WITH TRANSPORTATION DELAY (3 MONTH MATCHED FOOD SUPPLY ON HAND)



food availability is below the viability threshold level for approximately ten months while the results displayed in Figure 12 show food availability below the threshold for five months. Should one assume imminent collapse in all three cases even though the trajectories reveal eventual recovery? Clearly, the results in Figure 12 are more encouraging in terms of the survivability of the system. The critical point, however, is that the transportation delay is an important source of instability that threatens viability. Moreover, instability is subject to control through effective management policies and actions but only if managers are aware of its potential effects. In this sense, the PAM4 simulations offer an important contribution.


Transportation delays represent only one of the potential sources of instability in the system. Communication delays and delays in retraining and transferring workers between sectors are two additional delay factors that could affect the performance of the economy. Moreover, the economy would be burdened with fixed requirements to support military and official recovery operations. Again, the simulation results for PAM4 presented thus far have not incorporated these factors as operating assumptions.

Figure 13 displays the results of a PAM4 simulation where these assumptions have been adopted. This simulation is based on the following initial conditions: a three-month matched food supply, a 12-month food supply inventory (not co-located with consumers), longer transportation and communication delays, increased worker retraining and allocation delays, and higher fixed requirements on the economy. The solid curve depicts the economy's performance with only the longer transportation delay assumed (from Figure 12). The dashed curve displays the effects of the changes in the assumed initial conditions. It is particularly interesting to note the downturn that occurs later in the simulation period. Not only is the economy's performance degraded initially, the recovery seen in other simulations is never fully achieved. Again, the importance of effective management policies to mitigate the effects of these delays is apparent.

FIGURE 13

# VIABILITY AND FOOD SUPPLY WITH MULTIPLE DELAYS





THIS PAGE INTENTIONALLY LEFT BLANK

### VII. CONCLUSIONS

We noted at the outset of this study that our primary objective was to determine if post-attack viability (or collapse) is automatic for a given system, or if management actions could influence the outcome. In investigating this problem our approach focused on exploring the structure of a post-attack system for instabilities, identifying the processes that could lead to collapse, and then evaluating if and how alternative post-attack management policies could mitigate the effects of those instabilities.

At the conceptual level, our approach was to characterize a system's post-attack viability in terms of an inventories "race." Since the immmediate post-attack period would be marked by a reliance on stockpiles and inventories to sustain the surviving population, the critical question was whether inventories would be depleted before the economy could replenish supplies by reorganizing initial production facilities. Moreover, we wanted to determine how various types of systemic instabilities would affect this inventories race and how management actions could effectively overcome any debilitating effects that these instabilities might have on the ability of the nation to recover. These instabilities may appear due to the delays and uncertainties affecting such basic economic support systems as communication and transportation networks, organizational structures and resource allocation mechanisms.

A system dynamics model was constructed of a post-attack economy to study the management problems affecting these support systems in the immediate post-attack period. Through repeated simulations, the model was able to demonstrate the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While the results should be qualified as being preliminary in the sense that this effort is a first pass at the problem, there is sufficient evidence to proceed with a more extended analysis. The evidence suggests that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management actions. The simulation results from the PAM4 model clearly indicate that viability is not automatic even if adequate productive

productive capacities survive; the same system can produce both viability and collapse depending on the choice of policies and management strategies. If ineffective pre-attack and post-attack policies are followed, the potential for debilitating instabilities arising greatly increases and so, too, does the potential for system collapse.

### VIII. BIBLIOGRAPHY

- Ansoff, H. I.; and Slevin, Dennis P. "An Appreciation of Industrial Dynamics." Management Science (March 1968).
- Berger, Howard M. A Critical Review of Studies of Survival and Recovery
  After a Large-Scale Nuclear Attack. Marina del Rey: R & D Associates,
  December 1978.
- Buffa, Elwood S.; and Dyer, James S. "Managerial Use of Dynamic Structural Models." Decision Sciences, Vol. 8, No. 1 (January 1977).
- Coyle, R. G. Management System Dynamics. New York: John Wiley and Sons, 1977.
- Journal of Systems Sciences, Vol. 4, No. 8 (1973).
- Dresch, Francis W. Information Needs for Post-Attack Recovery Management.
  Menlo Park: Stanford Research Institute, April 1968.
- \_\_\_\_\_\_\_\_; and Ellis, H. B. Criteria for Early Post-Attack Economic Viability of Local Areas. Menlo Park: Stanford Research Institute, June 1974.
- Feinberg, Abe. Civil Preparedness and Post-Attack U.S. Economic Recovery:
  A State-of-the-Art Assessment and Selected Annotated Bibliography.
  Marina del Rey: Analytical Assessments Corporation, October 1979.
- Forrester, Jay W. "Changing Economic Patterns." Technology Review (August-September 1978).
- . Industrial Dynamics. Cambridge: MIT Press, 1961.
- \_\_\_. Urban Dynamics. Cambridge: MIT Press, 1969.
- . World Dynamics. Cambridge: Wright-Allen Press, 1971.
- .; and Senge, Peter M. Tests for Building Confidence in System Dynamics Models. Cambridge: Massachusetts Institute of Technology, System Dynamics Group, December 1978.
- Greenberger, M.; Crenson, M. A.; and Crissey, B. L. Models in the Policy Process. New York: Russell Sage Foundation, 1976.

- Mass, Nathaniel J. Destabilizing Impacts of Price and Quantity Adjustments to Relative Supply and Demand. Cambridge: Massachusetts Institute of Technology, System Dynamics Group, June 2, 1978.
- . Economic Fluctuation: A Framework for Analysis and Policy Design.

  Cambridge: Massachusetts Institute of Technology, System Dynamics Group,
  1977.
- Neu, C. R. Economic Models and Strategic Targeting (U). Santa Monica: Rand Corporation, June 1976 (Secret).
- Randers, Jørgen; and Ervik, Leif K., Editors. The Systems Dynamics Method. The Proceedings of the 1976 International Conference on System Dynamics. Geilo, Norway: August 8-15, 1976.
- Senge, Peter M. The System Dynamics National Model Investment Function: A Comparison to the Neoclassical Investment Function. Ph.D. Disseration, Massachusetts Institute of Technology, January 1978.
- \_\_\_\_\_. Tests for Building Confidence in System Dynamics Models. Cambridge: Massachusetts Institute of Technology, System Dynamics Group, 1978.
- System Dynamics Group. The System Dynamics National Project Annual Report. Cambridge: Massachusetts Institute of Technology, 1976.
- Winter, Sidney G. Economic Viability After Thermonuclear War: The Limits of Feasible Production. Santa Monica: Rand Corporation, September 1963.
- . The Federal Role in Post-Attack Economic Organization. Santa Monica: Rand Corporation, 1967.

APPENDIX A
PAM4 COMPUTER PROGRAM

```
INTERMEDITATE FRODUCTS SECTOR
 IF.Kelb.CH(DT)(IMRR.JK-IPCR.JK-IPFRCR.JK)
JF=JFJ
                                                  1.1. N
IPI=1000 URITS
                                                  1.2, 0
   TT
          - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,
              TRACTORS, ETC.)
   TERE
          - INTERMEDIATE PRODUCTS REPLENISHMENT
              (PRODUCTION) RATE
   IFCR
          - INTERMEDIATE PRODUCTS CONSUMPTION RATE
   THERCH - FIXED REQUIREMENTS CONSUMPTION (OUT
              SHIPMENT) RATE
   IFT
          - NUMBER OF IF UNITS IN SYSTEM INITIALLY
IPERCR.KL=MIN(IPEROR.JK,IP.K)
                                                  2, R
   IFFECR - FIXED REQUIREMENTS CONSUMPTION (OUT
              SHIPMENT) RATE
   IPPROR - FIXED EXTERNAL REQUIREMENT ORDERS LEVIED ON
              IF PRODUCT SUPPLIES
   IP
          - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,
              TRACTORS, ETC.)
IPCR.NL=MAX(0.MIN(IP.K-IPFROR.JK,IPB.K-IPFROR.JK))
                                                  3 + R
   IFCR
          - INTERMEDIATE PRODUCTS CONSUMPTION RATE
   IF.
          - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,
              TRACTORS, ETC.)
    IPFROR - FIXED REQUIREMENTS CONSUMPTION (OUT
              SHIPMENT) RATE
   IFE
          - THE BACKORDERS (BACKLOG) FOR INTERMEDIATE
              TRODUCTS
    IFFROK - FIXED EXTERNAL REQUIREMENT ORDERS LEVIED ON
              IF FRODUCT SUPPLIES
3 PRR. KL# IPT. K/PKODD.K
                                                  4 + R
          - INTERMEDIATE PRODUCTS REPLENISHMENT
    THIR
              (PRODUCTION) RATE
    I F F
          - INTERMEDIATE PRODUCTS IN THE PRODUCTION
              PIPELINE NOT YET RECEIVED
   PRODUCTION DELAY FOR INTERMEDIATE PRODUCTS
PERMITO, ROLL FOR CALL YACEDIM, R.
                                                  5 • A
TROMEYOR CONTHS
                                                  5.1.0
   PRODUCTION DELAY FOR INTERMEDIATE PRODUCTS
   FRODLY - THE MINIMUM OF FRODUCTION DELAY DUE TO
              FURELY PHYSICAL LIMITS
    CLITIM
          - THE DELAY IN IP PRODUCTION DUE TO SHORTAGE
              OF CAPITAL PLANT
TERMAL STARBE (CERMITANC ANDCANACANACALAA?)
                                                  6 · 10
(F10KF 0717275710720)
                                                  6.1. 1
          - THE DELAY IN THE PRODUCTION DUE TO SHOPTAGE
    CFTibi
              OF CALLIAN PLANT
    CIDMI - TARLE FOR IN PRODUCTION DELAT SOLDES
          - CALLICA CHIANT AND FORTEMENTS
```

| IPB.K=I             | PB.J+    | -(DT)(IPORR.JK+IFFROR.JK-IFFRCR.JK- 7, 1   | -     |
|---------------------|----------|--|-------|
| IPCK.               | JK)      |  |       |
| lbB=IbB             |          | 7.1,   | N     |
| $\mathrm{JFBI}=1.0$ |          |  | , C   |
| IPB                 |          | - THE BACKORDERS (BACKLOG) FOR INTERMEDIATE - PRODUCTS   |       |
| IPO'                | RR -     | THE ORDER RECEIVING RATE FOR INTERMEDIATE PRODUCTS (DEMAND)  |       |
| IPF                 | ROR -    | <ul> <li>FIXED EXTERNAL REQUIREMENT ORDERS LEVIED ON<br/>IF PRODUCT SUPPLIES</li> </ul>  | 1     |
| 1 F F               | RCR -    | FIXED REQUIREMENTS CONSUMPTION (OUT SHIPMENT) RATE   |       |
| TEC                 | R -      | - INTERMEDIATE PRODUCTS CONSUMPTION RATE   |       |
|                     |          | NUMBER OF IP BACKORDERS INITIALLY  |       |
|                     |          | (IF*IF⋅K 8, F  | Ċ     |
| FRIP=.1             |          | · · · ·  |       |
| IPF                 | ROR -    | <ul> <li>FIXED EXTERNAL REQUIREMENT ORDERS LEVIED ON<br/>IF PRODUCT SUPPLIES</li> </ul>  | 1     |
| FRI                 | E        | - PERCENT OF IP SUPPLIES THAT ARE  |       |
| 1 17 1              | ,        | REQUISITIONED FROM OUTSIDE   |       |
| 115                 |          | - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,   |       |
| 1.                  |          | TRACTORS, ETC.)  |       |
|                     |          | TRECORDY ETGT  |       |
| TEORE,K             | l ≕TPC   | CINF.K+1FCINT.K 9, F   |       |
|                     |          | - THE ORDER RECEIVING RATE FOR INTERMEDIATE  |       |
| 1. 1 C)             | 1717     | PRODUCTS (DEMAND)  |       |
| TEC                 | TAIET -  | - INTERMEDIATE PRODUCTS CONSUMED IN FOOD   |       |
| 3,1 €               | 7.141    | PRODUCTION   |       |
| TEST                | TAIT -   | - INTERMEDIATE PRODUCTS CONSUMED IN FOOD   |       |
| 11.0                | T 14 1 - | TRANSPORTATION   |       |
|                     |          | IMHADLOKIHITOM   |       |
| меттере.            | K-MAN    | ((O,IFB,K-IF,K) 10.  | Α     |
|                     |          | ((0,1FB.K-IF.K) 10,<br>- THE NET IP SUPPLIES ON HAND ( BACKORDERS  | Α     |
| 1411                | rro -    | COMPARED WITH SUPPLY)  |       |
| IPB                 | _        | - THE BACKORDERS (BACKLOG) FOR INTERMEDIATE  |       |
| J. 11 L.            |          | PRODUCTS   |       |
| 1.65                |          | - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,   |       |
| ,l. 1               |          | TRACTORS, ETC.)  |       |
|                     |          | TRHCTORBY ETG+7  |       |
| TER K-T             | pp. ja   | (DT)(IPOR.JK-IPRR.JK) 11,  | ,     |
| IPP=1PP             |          |  |       |
| 1661=80             |          | 11.1   |       |
| IPP                 |          |  | / F ( |
| 11.1                | _        | - INTERMEDIATE PRODUCTS IN THE PRODUCTION PIPELINE NOT YET RECEIVED  |       |
| IPO                 | r        | - RATE AT WHICH INTERMEDIATE PRODUCTS ARE  |       |
| II U                | "        | ORDERED INTO PRODUCTION  |       |
| 1PR                 | re       | - INTERMEDIATE PRODUCTS REPLENISHMENT  |       |
| 11 13               | • •      | (PRODUCTION) RATE  |       |
|                     |          | A CONTRACT OF SECURITY OF SECURITY AND A SECURITY SECURITY OF SECURITY SECURITY OF SECURITY S |       |

|       | '.K=(MA)<br> =1.0 | (((   | O.NETIPS.K-IPP.K))*C200   | 12, A       |    |
|-------|-------------------|-------|---|-------------|----|
|       | Dilleb            |       | DESIRED INTERMEDIATE PRODUCTION RATE () SUPPLIES - PIPELINE)      | ₹E <b>T</b> |    |
|       | RETIFS            |       | THE NET IF SUPPLIES ON HAND ( BACKORDER COMPARED WITH SUPPLY)     | (5          |    |
|       | Ibb               |       | INTERMEDIATE PRODUCTS IN THE PRODUCTION                           | 1           |    |
|       | C200              |       | PIPELINE NOT YET RECEIVED PERCENT OF IF SUPPLY DISCREPANCY BETWEE | EN          |    |
|       |                   |       | ORDERED AND DESIRED   |             |    |
| irwi  | ·K=DIFF           | • • • | KZIPPPW.K   | 13, A       |    |
|       |                   |       | DEMAND FOR IF PRODUCTION WORKERS                                  |             |    |
|       | DIFF              |       | DESIRED INTERMEDIATE PRODUCTION RATE (A                           | VET.        |    |
|       | IPPPW             |       | SUPPLIES - PIPELINE)  |             |    |
|       | TLLLM             |       | PRODUCTIVITY PER INTERMEDIATE PRODUCTS WORKER                     |             |    |
| IPPE  | W.K=IFF           | ·W·   | N*IPFM.K  | 14, A       |    |
|       | IPPPW             |       | PRODUCTIVITY PER INTERMEDIATE PRODUCTS                            |             |    |
|       | T E(E(LIA)        | _     | WORKER<br>NORMAL PRODUCTIVITY PER IF WORKER                       |             |    |
|       |                   |       | IF WORKER PRODUCTIVITY MULTIPLIER (HEAL                           | TLI         |    |
|       | 11111             |       | AND FOOD SHORTAGES)   | - 111       |    |
| IPPY  | f.K≕TAB⊦          | -11   | (IPPMT,FSHORT.K,0,1,.2)   | 15, A       |    |
| TEEL  | iT=1/.9/          | 1.6   | 5/.4/.2/0   | 15.1,       |    |
| IPPU  | /N=1              |       |   | 15.2,       |    |
|       | IFFM              | -     | IF WORKER PRODUCTIVITY MULTIPLIER (HEAL AND FOOD SHORTAGES)       |             | _, |
|       | IPPMT             | -     | TABLE FOR IP WORKER PRODUCTIVITY VALUES                           | ;           |    |
|       | IPPWN             |       | NORMAL PRODUCTIVITY PER IP WORKER                                 |             |    |
| IPW.  | K=IFW.            | J+ (  | (DT)(IPWINR.JK-IPWOUT.JK)   | 16, L       |    |
| TFU   | :IPWI             |       |   | 16.1.       | Ν  |
| IFWI  | =1000 V           |       |   | 16.2+       | Ľ. |
|       |                   |       | THE INTERMEDIATE PRODUCTS WORKERS                                 |             |    |
|       |                   |       | RATE OF WORKERS ENTERING IF SECTOR                                |             |    |
|       | IPWI              |       | RATE AT WHICH WORKERS LEAVE IP SECTOR                             | V           |    |
|       | T. 1 M T          |       | NUMBER OF IP WORKERS IN SYSTEM INITIALL                           | _ T         |    |
| TP:0F | C.KL=MIN          | 4 ( I | DIPP.K.IPW.K*IPPPW.K)   | 17, R       |    |
|       | IPOR              | -     | RATE AT WHICH INTERMEDIATE PRODUCTS ARE                           | •           |    |
|       | DIFF              |       | ORDERED INTO PRODUCTION DESIRED INTERMEDIATE PRODUCTION RATE (N   | ·C. *       |    |
|       | M.T.E.            | _     | SUPPLIES - PIPELINE)  | 4E I        |    |
|       | IFW               |       | THE INTERMEDIATE PRODUCTS WORKERS                                 |             |    |
|       | IPPPW             |       | PRODUCTIVITY PER INTERMEDIATE PRODUCTS WORKER                     |             |    |
| 11.01 | NHC+KL=(          | CL.   | IF(IFWINA.K,O,DISIFW.K,O)   | 18• R       |    |
|       | TEWINE            |       | RATE OF WORKERS ENTERING IP SECTOR                                |             |    |
|       | 工程展记者             |       | CALCULATION FOR WORKERS ENTERING IP SEC                           | O1-         |    |
|       | 1018 LL:M         |       | DISCREPANCY BETWEEN DESIRED AND ACTUAL NUMBER OF THE WORKERS      |             |    |

IPWINA, K=MAX(O, WP, K\*PDIPW, K\*IPWDF) 19, A IFWDF=.8 19.1, C IPWINA - CALCULATION FOR WORKERS ENTERING IP SECTOR - POOL OF WORKERS IN THE SYSTEM NOT EMPLOYED - PERCENT OF IP WORKERS DESIRED PDIFW - DELAY FACTOR FOR TRANSFERRING WORKERS TO IP TEWNE SECTOR DISIPW.K=DIPW.K-IPW.K 20, A DISIPW - DISCREPANCY BETWEEN DESIRED AND ACTUAL NUMBER OF IF WORKERS I:IFW - DESIRED NUMBER OF IP WORKERS IPW - THE INTERMEDIATE PRODUCTS WORKERS DIPW.K=PDIPW.K\*WA.K 21, A DIFW - DESIRED NUMBER OF IF WORKERS -- PERCENT OF IP WORKERS DESIRED FRIFW - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM PDIPW.K=IPWD.K/(IPWD.K+CWD.K+FTWD.K+FSWD.K) 22, A PDIFW - PERCENT OF IP WORKERS DESIRED IFWD - DEMAND FOR IF PRODUCTION WORKERS CWD - DEMAND FOR CAPITAL WORKERS FTWD - DEMAND FOR FOOD TRANSPORTATION WORKERS - DEMAND FOR FOOD SUPPLY WORKERS FSWD WA.KHIPW.KHOW.KHETW.KHESW.KHWP.K 23, A - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM - THE INTERMEDIATE PRODUCTS WORKERS IF'W CW - THE CAPITAL SECTOR WORKERS - THE FOOD TRANSPORT WORKERS FTH FSW - THE FOOD SUPPLY WORKERS WF - POOL OF WORKERS IN THE SYSTEM NOT EMPLOYED IPWOUT.KL=CLIP(O,IPWOUA.K,DISIPW.K,O) 24 + R IPWOUT - RATE AT WHICH WORKERS LEAVE IP SECTOR IPWOUA - CALCULATION FOR WORKERS LEAVING IF SECTOR DISIPW - DISCREPANCY BETWEEN DESIRED AND ACTUAL NUMBER OF IF WORKERS IPWOUA.K=-DISIPW.K\*IPWDF 25, A IPWOUA - CALCULATION FOR WORKERS LEAVING IP SECTOR DISIPW - DISCREPANCY BETWEEN DESIRED AND ACTUAL NUMBER OF IF WORKERS IPWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO IF SECTOR

```
CAPITAL SECTOR (PLANT AND EQUIPMENT)
 C.K=C.J+(DT)(CCRD.JK-COR.JK-CFR.JK)
                                                 26, L
                                                 26.1, N
C = CI
                                                 26.2, 0
CI=200 UNITS
          - CAPITAL (FLANT AND EQUIPMENT)
   С
          - RATE OF CAPITAL CONSTRUCTION (DELAYED)
   CORT
          - RATE AT WHICH CAPITAL BECOMES OBSOLESCENT
   COR
          - FIXED REQUIREMENTS CONSUMPTION (OUT
    CFR
              SHIPMENT) RATE
          - NUMBER OF CAPITAL UNITS IN THE SYSTEM
    CT
              INITIALLY
                                                 27, R
CFR.KL=MAX(0,MIN(C.K,CFIX))*SWITCH.K
                                                  27.1, C
CFIX=20 UNITS
          - FIXED REQUIREMENTS CONSUMPTION (OUT
    CFR
              SHIPMENT) RATE
          - CAFITAL (FLANT AND EQUIFMENT)
           - AMOUNT OF CAPITAL REQUISITIONED FROM
    CFIX
              OUTSIDE
    SWITCH - TIME DELAY AFFECTING FIXED REQUIREMENTS FOR
              CAFITAL
                                                  28, L
CIP.K=CIP.J+(DT)(CCR.JK-CCRD.JK)
                                                  28.1, N
CIF=CIFI
                                                  28.2, C
CIPI=0
           - AMOUNT OF CAPITAL IN CONSTRUCTION
    CIF
           - CAPITAL CONSTRUCTION RATE
    CCR
           - RATE OF CAPITAL CONSTRUCTION (DELAYED)
    CORD
           - AMOUNT OF CAPITAL CONSTRUCTION IN THE
    CIFI
               SYSTEM INITIALLY
                                                  29, A
EFFCAP, K=C, K+CIP, K
    EFFCAP - EFFECTIVE AMOUNT OF CAPITAL (FIRELINE +
               ACTUAL)
           - CAPITAL (FLANT AND EQUIPMENT)
           - AMOUNT OF CAPITAL IN CONSTRUCTION
    CIF
                                                  30, A
SWITCH, K=STEP(1,TIM)
                                                  30.1, C
TIM=10
    SWITCH - TIME DELAY AFFECTING FIXED REQUIREMENTS FOR
               CAFITAL
           - TIME WHEN FIXED REQUIREMENTS FOR CAPITAL
    MIT
               ENTER SYSTEM
                                                  31, R
COR.KL=CORF*C.K
                                                  31.1, C
CORF=.06 PERCENT
           - RATE AT WHICH CAPITAL RECOMES OBSOLESCENT
    COR
           - PERCENT CAPITAL OBSOLESCENT FACTOR
    CORF
           - CAPITAL (FLANT AND EQUIPMENT)
    r:
```

The state of the s

| CCRD.KL=CJF.K/CCRDF<br>CCRDF=6 MONTHS<br>CCRD - RATE OF CAPITAL CONSTRUCTION (DELAYED)<br>CJF - AMOUNT OF CAPITAL IN CONSTRUCTION  | 32, R<br>32,1,          |   |
|--|-------------------------|---|
| CCRDF - DELAY FACTOR IN CAPITAL CONSTRUCTION R   | ATE                     |   |
| CCR.KL=MIR(DCC.K.CW.K*PRODC.K)  CCR - CAPITAL CONSTRUCTION RATE  DCC - DESIRED RATE FOR CAPITAL CONSTRUCTION  CW - THE CAPITAL SECTOR WORKERS  PRODC - PRODUCTIVITY OF CAPITAL WORKERS | 33, R                   |   |
| DCC.K=MAX(O.CD.K) DCC - DESIRED RATE FOR CAPITAL CONSTRUCTION CD - DISCREPANCY IN CAPITAL PLANT AND EQUIP (DESIRED - EFFECTIVE)  | 34, A<br>MENT           |   |
| CD.K=(DC.K-EFFCAF.K)*FOLICY  | 35, A                   |   |
| CD - DISCREPANCY IN CAPITAL PLANT AND EQUIP<br>(DESIRED - EFFECTIVE)   | MENT                    |   |
| EFFCAF - EFFECTIVE AMOUNT OF CAPITAL (PIPELINE   | +                       |   |
| ACTUAL)<br>POLICY - PRODUCTION LEVEL DESIRED BY POLICYMAKE   | Ŕ                       |   |
| DC.K=IFOR.JK*CRPUIP<br>CRPUIF=1  | 36, A                   |   |
| POLICY=1.0  IPOR - RATE AT WHICH INTERMEDIATE PRODUCTS AR  | 36.2 <sub>1</sub>       | С |
| ORDERED INTO PRODUCTION<br>CREUIF - CAPITAL TO INTERMEDIATE PRODUCT PRODU  |                         |   |
| RATIO REQUIRED<br>POLICY - PRODUCTION LEVEL DESIRED BY POLICYMAKE  | R                       |   |
| FRODC.K=CCPWN*CWPM.K<br>CCPWN=.06 PRODUCTIVITY<br>PRODC - PRODUCTIVITY OF CAPITAL WORKERS<br>CCPWN - NORMAL PRODUCTIVITY FACTOR<br>CWPM - CAPITAL WORKER PRODUCTIVITY MULTIPLIER       | 37, A<br>37,1,          |   |
| (HEALTH AND FOOD SHORTAGES)  |                         |   |
| CWPM.K=TABHL(CWPMT,FSHORT.K,0,1,.2)  CWPMT=1/.9/.6/.4/.2/0  CWPM - CAPITAL WORKER PRODUCTIVITY MULTIPLIER  | 38, A<br>38.1,          |   |
| (HEALTH AND FOOD SHORTAGES) CWFMT - TABLE FOR CAPITAL WORKER PRODUCTIVITY VALUES   |                         |   |
| CW.K=CW.JH(DT)(CWTNR.JK-CWOUTR.JK) CW=CWI CWI=1000 OF  | 39, L<br>39,1,<br>39,2, |   |
| CW - THE CAPITAL SECTOR WORKERS  CWINE - RATE OF WORKERS ENTERING CAPITAL SECTO  CWOUTR - RATE AT WHICH WORKERS LEAVE CAPITAL SE  CWI - NUMBER OF WORKERS IN CAPITAL SECTOR  TNITTALLY | Fc                      |   |

| CWINR.KL=CLIF(CWINA.K,0,DISCCW.K,0) 40, F                                 | ₹        |
|---|----------|
| CWINE - RATE OF WORKERS ENTERING CAPITAL SECTOR                           |          |
| CWINA - CALCULATION FOR WORKERS ENTERING CAPITAL SECTOR                   |          |
| DISCOW - DISCREPANCY BETWEEN DESIRED AND ACTUAL NUMBER OF CAPITAL WORKERS |          |
| CWINA.K=MAX(O,WF.K*FDCW.K*CWDF) 41,                                       | <b>-</b> |
| CWDF=.8 41.1  | , C      |
| CWINA - CALCULATION FOR WORKERS ENTERING CAPITAL SECTOR                   |          |
| WE - FOOL OF WORKERS IN THE SYSTEM NOT EMPLOYED                           |          |
| PDCW - PERCENT OF CAPITAL WORKERS DESIRED                                 |          |
| CWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO<br>CAPITAL SECTOR         |          |
| DISCOW.K=DCW.K-CW.K   | Δ        |
| DISCOW - DISCREPANCY BETWEEN DESIRED AND ACTUAL                           | 1        |
| NUMBER OF CAPITAL WORKERS   |          |
| DCW - DESIRED NUMBER OF CAPITAL WORKERS                                   |          |
| CW - THE CAPITAL SECTOR WORKERS   |          |
| DCW.K=FDCW.K*WA.K 43,   | A        |
| DOW - DESIRED NUMBER OF CAPITAL WORKERS                                   |          |
| PDCW - PERCENT OF CAPITAL WORKERS DESIRED                                 |          |
| WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE                             |          |
| SYSTEM  |          |
| PICW.K=CWD.K/(IFWD.K+CWD.K+FTWD.K+FSWD.K) 44,                             | A        |
| PDCW - PERCENT OF CAPITAL WORKERS DESIRED                                 |          |
| CWD - DEMAND FOR CAPITAL WORKERS  |          |
| IFWD - DEMAND FOR IF FRODUCTION WORKERS                                   |          |
| FTWD - DEMAND FOR FOOD TRANSPORTATION WORKERS                             |          |
| FSWD - DEMAND FOR FOOD SUPPLY WORKERS                                     |          |
| CWOUTR.KL = CLIP(O,CWOUT.K,DISCCW.K,O) 45,                                | F:       |
| CWOUTR - RATE AT WHICH WORKERS LEAVE CAPITAL SECTOR                       |          |
| CWOUT - CALCULATION FOR WORKERS LEAVING CAPITAL SECTOR                    |          |
| DISCOW - DISCREPANCY BETWEEN DESIRED AND ACTUAL                           |          |
| NUMBER OF CAPITAL WORKERS   |          |
| CWOUT.K=-DISCOW.K*CWDF 46,  | A        |
| CWOUT - CALCULATION FOR WORKERS LEAVING CAPITAL                           |          |
| SECTOR  |          |
| DISCOW - DISCREPANCY RETWEEN DESIRED AND ACTUAL NUMBER OF CAPITAL WORKERS |          |
| CWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO                           |          |
| CAPITAL SECTOR  |          |
| CWD+K=DCC+K/FRODC+K 47+   | A        |
| CWD - DEMAND FOR CAPITAL WORKERS  |          |
| DCC - DESIRED RATE FOR CAPITAL CONSTRUCTION                               |          |
| PRODC - PRODUCTIVITY OF CAPITAL WORKERS                                   |          |

```
FOOD SUPPLY SECTOR
 FS.K=FS.J+(DT)(FRR.JK-FFRSR.JK-FSR.JK)
                                                 48, L
FS=FSI
                                                 48.1, N
FSI=440E3
                                                  48.2, C
   FS
          - FOOD SUPPLY AT THE PRODUCTION SITES
          - RATE AT WHICH FOOD IS RECEIVED FROM
   FRR
              PRODUCTION SOURCES
   FFRSR
          - RATE AT WHICH FOOD IS SHIPPED TO MEET FIXED
              REQUIREMENTS
          - RATE AT WHICH FOOD IS SHIPPED
   FSR
   FSI
          - AMOUNT OF FOOD SUPPLY AT PRODUCTION SITES
              INITIALLY
FFRSR.KL=MIN(FFROR.JK,FS.K)
                                                 49, R
   FFRSR
          - RATE AT WHICH FOOD IS SHIPPED TO MEET FIXED
              REQUIREMENTS
   FFROR
          - RATE OF FOOD SUPPLY REQUISITIONED FROM
              OUTSIDE
   FS
          - FOOD SUPPLY AT THE PRODUCTION SITES
FFROR • KL = FSFIX
                                                 50 • R
FSFIX=44E3 LBS
                                                 50.1, C
   FFROR - RATE OF FOOD SUPPLY REQUISITIONED FROM
              DUTSIDE
          - AMOUNT OF FOOD SUPPLY REQUISITIONED FROM
              DUTSIDE
FRR.KL=FOODIP.K/FPD.K
                                                 51, R
          - RATE AT WHICH FOOD IS RECEIVED FROM
              PRODUCTION SOURCES
   FOODIF - FOOD IN PRODUCTION AT THE FOOD SUPPLY SITES
          - TOTAL DELAY FOR FOOD PRODUCTION
FPD.K≈PD+TPFPD.K
                                                 52, A
FID=3 MONTH
                                                 52.1. C
          - TOTAL DELAY FOR FOOD PRODUCTION
   FPD
   F D
          - DELAY IN PRODUCING FOOD
          - THE DELAYS IN FOOD PRODUCTION DUE TO IP
              SUPPLIES
IPPPD.K=CLIP(O,4,)P.K-IPB.K,0)
                                                 53, A
    IPPPD - THE DELAYS IN FOOD PRODUCTION DUE TO IP
              SUPFLIES
    I P
          - INTERMEDIATE PRODUCTS (FUEL, TRUCKS,
              TRACTORS, ETC.)
    IFR
          - THE BACKORDERS (BACKLOG) FOR INTERMEDIATE
              PRODUCTS
FSR.KL=MIN(DESR.K, ESXPW.K*FTW.K)
                                                 54 + R
          - RATE AT WHICH FOOD IS SHIPPED
    FSR
          - DESTRED RATE OF FOOD SHIPMENT
    DESE
    FSXFW - AMOUNT OF FOOD TRANSFORTED FER WORLER
    FTW
          - THE FOOD TRANSPORT WORKERS
```

| DESR.K=MAX(0,M1N(FSB.K-FFROR.JK,FS.K-FFRSR.JK))  | 55,     | A          |     |
|--|---------|------------|-----|
| DESR - DESIRED RATE OF FOOD SHIPMENT   |         |            |     |
| FSB - BACKORDERS FOR FOOD AT THE FOOD SUPPLY   |         |            |     |
| SITES  |         |            |     |
| FFROR - RATE OF FOOD SUPPLY REQUISITIONED FROM   |         |            |     |
| OUTSIDE  |         |            |     |
| FS - FOOD SUPPLY AT THE PRODUCTION SITES   |         |            |     |
| FFRSR - RATE AT WHICH FOOD IS SHIPPED TO MEET F  | IXEI    | ì          |     |
| REQUIREMENTS   |         |            |     |
| TA Control Control of Table 1 Charles 1 A 1 And  |         |            |     |
| FSXFW.K=FSXFWN*FSXFM.K   | 56,     | ۵          |     |
| FSXFWN=1220 LBS  | 56.1    |            | ~   |
|  | 20 + 1  | . 7        | U   |
| FSXPW - AMOUNT OF FOOD TRANSPORTED PER WORKER  |         |            |     |
| FSXPWN - AMOUNT OF FOOD TRANSPORTED FER WORKER (NORMALLY)  |         |            |     |
|  | ^       |            |     |
| FSXPM - FOOD TRANSPORTATION MULTIPLIER (HEALTH   | ě       |            |     |
| FOOD SHORTAGES)  |         |            |     |
| and an area of the second of t | e no    |            |     |
| FSXFM.K=TABHL(FSXFMT,FSHORT,K,0,1,.2)  | 57,     |            | _   |
| FSXPMT=1/.9/.6/.4/.2/0   | 57.1    | . 7        | ı   |
| FSXPM - FOOD TRANSPORTATION MULTIPLIER (HEALTH   | &       |            |     |
| FOOD SHORTAGES)  | - p     |            |     |
| FSXFMT - TABLE FOR FOOD TRANSPORTATION MULTIFLIE   | .K      |            |     |
| VALUES   |         |            |     |
|  |         |            |     |
| FTW.K=FTW.J+(DT)(FTWINR.JK-FTWOUT.JK)  | 58,     |            |     |
| FTW=FTWI   | 58.1    | ,          | N   |
| FTWI=1000 FOOD   | 58.1    | ) <b>,</b> | C   |
| FTW - THE FOOD TRANSPORT WORKERS   |         |            |     |
| FTWINE - RATE OF WORKERS ENTERING FOOD   |         |            |     |
| TRANSFORTATION SECTOR  |         |            |     |
| FTWOUT - RATE AT WHICH WORKERS LEAVE FOOD  |         |            |     |
| TRANSFORTATION SECTOR  |         |            |     |
| FTWI - NUMBER OF WORKERS IN FOOD TRANSFORTATIO   | N(      |            |     |
| INITIALLY  |         |            |     |
|  |         |            |     |
| FTWINR.KL=CLIF(FTWINA.K,O,DISFTW.K,O)  | 59,     | R          |     |
| FIWING - RATE OF WORKERS ENTERING FOOD   |         |            |     |
| TRANSPORTATION SECTOR  |         |            |     |
| FTWINA - CALCULATION FOR WORKERS ENTERING FOOD   |         |            |     |
| TRANSFORTATION SECTOR  |         |            |     |
| DISFTW - DISCREPANCY BETWEEN DESIRED & ACTUAL FO   | יותני   |            |     |
| TRANSFORTATION WORKERS   | ., O L. |            |     |
| LVMK9LCV.H.130K_MOVVEV2  |         |            |     |
| FTWINA.K=MAX(O,WF.K*PDFTW.K*FTWDF)   | 60,     | ٨          |     |
|  |         |            | _   |
| FINATE .8  | 60.1    | , ,        | L., |
| FIWINA - CALCULATION FOR WORKERS ENTERING FOOD   |         |            |     |
| TRANSPORTATION SECTOR  |         |            |     |
| WE - FOOL OF WORKERS IN THE SYSTEM NOT ENFLO   |         |            |     |
| FIWIH - DELAY FACTOR TO TRANSFER WORKERS TO FOO  | 711     |            |     |
| TRANSPORTATION SECTOR  |         |            |     |

| ${\bf B}{f B}{f B}{f E}$ | 生医生民血的医               | 14           | 1+N=F1W+N 61+ A                               |  |
|--------------------------|-----------------------|--------------|---|--|
|                          | DISTIM                |              | DISCREPANCY BETWEEN DESIRED & ACTUAL FOOD     |  |
|                          |                       |              | TRANSPORTATION WORKERS                        |  |
|                          | DETW .                |              | DESIRED NUMBER OF FOOD TRANSPORTATION         |  |
|                          | ~ , , ,               |              | WORKERS                                       |  |
|                          | ΓTW                   |              | THE FOOD TRANSPORT WORKERS                    |  |
|                          | r i w                 |              | THE FULL INHIBEURI WUNNERD                    |  |
| OCT                      | .K≕PDFT               | -1.1         | KWIIA K                                       |  |
| LUT TV                   |                       |              | · · · · · · · · · · · · · · · · · · ·         |  |
|                          | DETW                  | ***          | DESIRED NUMBER OF FOOD TRANSPORTATION         |  |
|                          |                       |              | WORKERS                                       |  |
|                          | WA                    | -            | TOTAL NUMBER OF WORKERS AVAILABLE IN THE      |  |
|                          |                       |              | SYSTEM  |  |
|                          |                       |              |   |  |
| FIFT                     |                       |              | KZ(IPWD.K+CWD.K+FTWD.K+FSWD.K) 63. A          |  |
|                          |                       |              | DEMAND FOR FOOD TRANSFORTATION WORKERS        |  |
|                          | I F'WII               |              | DEMAND FOR IF PRODUCTION WORKERS              |  |
|                          | CMD                   |              | DEMAND FOR CAPITAL WORKERS                    |  |
|                          | FSWD                  | •••          | DEMAND FOR FOOD SUPPLY WORKERS                |  |
|                          |                       |              |   |  |
| FTWO                     | JUT•KL≃C              | LI           | (P(O)FTWOUA.K;DISFTW.K;O) 64, R               |  |
|                          | FTWOUT                |              | RATE AT WHICH WORKERS LEAVE FOOD              |  |
|                          |                       |              | TRANSPORTATION SECTOR                         |  |
|                          | FTWOUA                |              | CALCULATION FOR WORKERS LEAVING FOOD          |  |
|                          |                       |              | TRANSFORTATION SECTOR                         |  |
|                          | TITETTI               |              | DISCREPANCY BETWEEN DESIRED & ACTUAL FOOD     |  |
|                          | DISTIM                |              | TRANSPORTATION WORKERS                        |  |
|                          |                       |              | TRANSFORTALLON WORKERS                        |  |
| ET THAT                  | 111Δ . K = T          | этс          | SETW.K*FTWDE 65, A                            |  |
| 1 1100                   | -                     |              | CALCULATION FOR WORKERS LEAVING FOOD          |  |
|                          | FIWOOM                |              | TRANSPORTATION SECTOR                         |  |
|                          | TO THE OWNER OF LA    |              |   |  |
|                          | TribbitM              | _            | DISCREPANCY BETWEEN DESIRED & ACTUAL FOOD     |  |
|                          | P** *** * * * * * *** |              | TRANSPORTATION WORKERS                        |  |
|                          | I- I MIII-            |              | DELAY FACTOR TO TRANSFER WORKERS TO FOOD      |  |
|                          |                       |              | TRANSFORTATION SECTOR                         |  |
|                          |                       |              |   |  |
| FTWI                     |                       |              | (/F\$X₽₩•K 66• A                              |  |
|                          |                       |              | DEMAND FOR FOOD TRANSFORTATION WORKERS        |  |
|                          | DESR                  | •••          | DESIRED RATE OF FOOD SHIPMENT                 |  |
|                          | FSXFW                 |              | AMOUNT OF FOOD TRANSPORTED PER WORKER         |  |
|                          |                       |              |   |  |
| FSB.                     | .K≕FSB.,              | <b>J</b> + ( | (DT)(FSORR.JK+FFROR.JK-FFRSR.JK-FSR.JK) 67, L |  |
|                          | FSB                   | -            | BACKORDERS FOR FOOD AT THE FOOD SUPPLY        |  |
|                          |                       |              | SITES   |  |
|                          | ESORR                 |              | RATE AT WHICH FOOD SUPPLY ORDERS ARE          |  |
|                          |                       |              | RECEIVED                                      |  |
|                          | FEROR                 | _            | RATE OF FOOD SUPPLY REQUISITIONED FROM        |  |
|                          |                       |              | OUTSIDE                                       |  |
|                          | FERSR                 |              | RATE AT WHICH FOOD IS SHIPPED TO MEET FIXED   |  |
|                          |                       |              | REQUIREMENTS                                  |  |
|                          | r Sh                  | _            | RATE AT WHICH FOOD IS SHIPPED                 |  |
|                          | 917                   |              | rete et whith four is shiffer                 |  |

| FSORR.KL=DEL  | AY3(MESOR.JK.COMMI)   | 68+ R         |   |
|---|---|---------------|---|
| COMMUNICATION TO THE PROPERTY OF THE PROPERTY | Н   | 68.1,         |   |
| FSE=FSB1  | T.C   | <b>68.2</b> + |   |
| FSBI=440E3 L  | RATE AT WHICH FOOD SUPPLY ORDERS ARE  | 68.3,         | L |
| r SOAR =  | RECEIVED  |               |   |
|   | MATCHED FOOD SUPPLY ORDER RATE  |               |   |
|   | · COMMUNICATION DELAY AFFECTING FOOD ORDE                                       | RS            |   |
| FSR -   | - BACKORDERS FOR FOOD AT THE FOOD SUPPLY SITES                                  |               |   |
| FSB] -  | - BACKORDERS FOR FOOD AT FOOD SUFFLY SITE<br>INITIALLY                          | S             |   |
| NETEC.K-MAY/  | 0,FSB.K-FS.K)   | 69, A         |   |
|   | <ul> <li>NET FOOD SUPPLY (BACKORDERS COMPARED TO<br/>SUPPLY)</li> </ul>         |               |   |
| FSB -   | - BACKORDERS FOR FOOD AT THE FOOD SUPPLY SITES                                  |               |   |
| FS -  | FOOD SUPPLY AT THE PRODUCTION SITES   |               |   |
| ECODETE E-EOD   | DIP.J+(DT)(FPR.JK-FRR.JK)   | 70 - 1        |   |
| FOODIF-K=FOO  | (AC+N4-AC+N44) (14) + (14) + (14) + (14)  | 70, L         | N |
| FIFI=1260E3   |   | 70.2,         |   |
|   | FOOD IN PRODUCTION AT THE FOOD SUPPLY S   |               | _ |
| FFR -   | - RATE AT WHICH FOOD IS PRODUCED  |               |   |
| FRR -   | - RATE AT WHICH FOOD IS RECEIVED FROM PRODUCTION SOURCES                        |               |   |
| FIP1 -  | - FOOD IN PRODUCTION AT SUPPLY SITES  |               |   |
| , 4   | INITIALLY   |               |   |
|   | FF.K.FSW.K*FFFSWN*FSWFM.K)  | 71+ R         |   |
| FSPPW.K=PPFS  |   | 71.1.         | A |
|   | RATE AT WHICH FOOD IS PRODUCED  |               |   |
|   | - DESIRED LEVEL OF FOOD PRODUCTION  |               |   |
|   | - THE FOOD SUPPLY WORKERS<br>- AMOUNT OF FOOD PRODUCED PER FOOD SUPPLY          | ,             |   |
| rreswik -   | WORKER NORMALLY   |               |   |
| FSWFM -   | - FOOD SUPPLY WORKER PRODUCTIVITY (HEAL)  | [ H           |   |
| 1 5 4 1 11  | AND FOOD SHORTAGES)   | • •           |   |
| FSFFW -   | - AMOUNT OF FOOD SUPPLY PRODUCED PER WORK                                       | KERC          |   |
|   | NETFS.K-FOODIF.K)*C201  | 72, A         |   |
| C201=1.0  |   | 72.1,         |   |
| FFFSWN=1680   |   | 72.2.         | C |
|   | - DESTRED LEVEL OF FOOD PRODUCTION<br>- NET FOOD SUPPLY (BACKORDERS COMPARED TO | ì             |   |
| ሮ (ነርነ ነር)  | SUPPLY)<br>- FOOD IN PRODUCTION AT THE FOOD SUPPLY S                            | оттпе         |   |
|   | - PERCENT OF FUOD IN PRODUCTION DESIRED   | )             |   |
|   | - AMOUNT OF FOOD PRODUCED PER FOOD SUPPLY                                       | r             |   |
|   | WORKER NORMALLY   |               |   |
|   |   |               |   |

|   | 73• A −                    |
|---|----------------------------|
| FSWPmT=1/.9/.6/.4/.2/0  | 73.1, 1                    |
| FSWEM - FOOD SUPPLY WORKER PRODUCTIVITY (HEALT) AND FOOD SHORTAGES)   | d                          |
| FSWPMT - TABLE FOR FOOD SUPPLY WORKER PRODUCTIVE  | TΥ                         |
| MULTIPLIER VALUES   |                            |
|   | 74+ L                      |
|   | 74.1, N                    |
| FSWI=1000 INITIAL FSW - THE FOOD SUPPLY WORKERS   | 74.2, C                    |
| FSWINE - RATE AT WHICH WORKERS ENTER FOOD PRODUCT   | ፐ ፓ ጦ አ፤                   |
| SECTOR  | 1.1.014                    |
| FSWOUT - RATE AT WHICH WORKERS LEAVE FOOD SUPPLY SECTOR   |                            |
| FSWI - NUMBER OF WORKERS IN FOOD PRODUCTION   |                            |
| INITIALLY   |                            |
| FSWINR.KL=CLIF(FSWINA.K.O.DISFSW.K.O)   | 25) R                      |
| FSWINE - RATE AT WHICH WORKERS ENTER FOOD PRODUC'<br>SECTOR   | TION                       |
| FSWINA - CALCULATION FOR WORKERS ENTERING FOOD  |                            |
| PRODUCTION SECTOR   |                            |
| DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FO  | OD                         |
| TRANSPORT WORKERS   |                            |
| FSW1NA.K=MAX(O,WF.K*FDFSW.K*FSWDF)  | 76* A                      |
|   | 76 - 1 · C                 |
| FSWINA - CALCULATION FOR WORKERS ENTERING FOOD  |                            |
| PRODUCTION SECTOR   |                            |
| WF - FOOL OF WORKERS IN THE SYSTEM NOT EMPLOY   |                            |
|   | YED                        |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED  | YED                        |
|   |                            |
| FIFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED  |                            |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  | I)                         |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K   | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR   | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOOTH TRANSFORT WORKERS   | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS  | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS  | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS   | D<br>22, A                 |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS   | 0<br>77, A<br>Oli          |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS DFSW.K=PDFSW.K*WA.K  | 0<br>77, A<br>Oli          |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSFORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW.K=FDFSW.K*WA.K DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE  | D<br>27, A<br>91,<br>28, A |
| PIESW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW.K=PDFSW.K*WA.K DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED  | D<br>27, A<br>91,<br>28, A |
| PIESW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOOT TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW.K=PDFSW.K*WA.K DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM   | 0<br>27, A<br>01,<br>28, A |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM  FDFSW.K=FSWD.K/(IFWD.K+CWD.K+FTVD.K+FSWD.F)  | D<br>27, A<br>91,<br>28, A |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWIF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM  PDFSW.K=FSWD.KZ(IPWD.K+CWD.K+FTVD.L+FSWD.F) PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED                                       | 0<br>27, A<br>01,<br>28, A |
| FDFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOO TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM  PDFSW.K=FSWD.KZ(IFWD.K+CWD.K+FTWD.K+FSWD.F) PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED FSWD - PERCENT OF FOOD SUPPLY WORKERS | 0<br>27, A<br>01,<br>28, A |
| FIFSW - FERCENT OF FOOD SUPPLY WORKERS DESIRED FSWIF - DELAY FACTOR FOR TRANSFERRING WORKERS TO FOOD PRODUCTION SECTOR  DISFSW.K=DFSW.K-FSW.K  DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOR TRANSPORT WORKERS DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS FSW - THE FOOD SUPPLY WORKERS  DFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - DESIRED NUMBER OF FOOD SUPPLY WORKERS PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED WA - TOTAL NUMBER OF WORKERS AVAILABLE IN THE SYSTEM  PDFSW.K=FSWD.KZ(IPWD.K+CWD.K+FTVD.L+FSWD.F) PDFSW - PERCENT OF FOOD SUPPLY WORKERS DESIRED                                       | 0<br>27, A<br>01,<br>28, A |

```
FSWOUT.KL=CLIP(O,FSWOUA.K,DISFSW.K,O)
                                                 80 · F
    FSWOUT - RATE AT WHICH WORKERS LEAVE FOOD SUPPLY
              SECTOR
    FSWOUA - CALCULATION FOR WORKERS LEAVING FOOD SUPPLY
              SECTOR
   DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOOD
              TRANSFORT WORKERS
FSWOUA.K =- DISFSW.K *FSWDF
                                                 81 x A
   FSWOUA - CALCULATION FOR WORKERS LEAVING FOOD SUPPLY
              SECTOR
   DISFSW - DISCREPANCY BETWEEN DESIRED & ACTUAL FOOD
              TRANSPORT WORKERS
    FSWDF - DELAY FACTOR FOR TRANSFERRING WORKERS TO
              FOOD PRODUCTION SECTOR
FSWD.K=DFP.K/(PPFSWN*FSWPM.K)
                                                 82, A
    FSWI
          - DEMAND FOR FOOD SUPPLY WORKERS
          - DESIRED LEVEL OF FOOD PRODUCTION
    PPFSWN - AMOUNT OF FOOD PRODUCED PER FOOD SUPPLY
              WORKER NORMALLY
   FSWPM - FOOD SUPPLY WORKER PRODUCTIVITY (HEALTH
              AND FOOD SHORTAGES)
IPCINF.K=IPCPUF*FPR.JK
                                                 83, A
IPCPUF=.00025 UNITS
                                                 83.1. C
    IPCINF - INTERMEDIATE PRODUCTS CONSUMED IN FOOD
              PRODUCTION
    IPCPUF - INTERMEDIATE PRODUCTS CONSUMED PER UNIT
              FOOD PRODUCED
          - RATE AT WHICH FOOD IS PRODUCED
    FFR
IFCINT, K=IFCFUT*FSR.JK
                                                 84, 6
IPCPUT=.00025 UNITS
                                                 84,1, 0
    IPCINT - INTERMEDIATE PRODUCTS CONSUMED IN FOOD
              TRANSPORTATION
    IPCPUT - INTERMEDIATE PRODUCTS CONSUMED PER UNIT
              FOOD TRANSPORTED
          - RATE AT WHICH FOOD IS SHIPPED
    FSR
 MATCHED FOOD SUPPLY SECTOR
 MES.K=MES.J+(DT)(FAR.JK-FCR.JK)
                                                 85, L
MES=MESI
                                                 85.1 N
MFSI=400E3 LRS
                                                 85,2, C
          - THE QUANTITY OF FOOD THAT IS MATCHED WITH
              DEMAND
    FAR
          - RATE AT WHICH FOOD AMRIVES TO CONSUMERS
    FCR
          - RATE AT WHICH MATCHED FOOD IS BEING
              CONSUMED
          - AMOUNT OF MATCHED FOOD FOOD SUPPLY CIN
    MF 5.1
```

CONSUMER HANDS : INITIALLY

```
FAR.KL=FIT.K/TRANSD.K
                                                      85 + K
           - RATE AT WHICH FOOD ARRIVES TO CONSUMERS
    FAR
           - FOOD ORDERED FROM FOOD SUPPLY SECTOR IN
    FIT
               TRANSIT TO MATCHED
    TRANSD - TOTAL FOOD TRANSPORTATION DELAY
FIT.K=FIT.J+(DT)(FSR.JK-FAR.JK)
                                                      87, L
FIT=FITI
                                                      87.1, N
FITI=440E3
                                                      87.2, C
    FIT
           - FOOD ORDERED FROM FOOD SUPPLY SECTOR IN
               TRANSIT TO MATCHED
    FSR
           - RATE AT WHICH FOOD IS SHIPPED
    FAR
           - RATE AT WHICH FOOD ARRIVES TO CONSUMERS
    FITI
           - FOOD IN TRANSIT PIPELINE TO CONSUMERS
               INITIALLY
TRANSD.K=TRAND+IPFTD.K
                                                      88 × A
    TRANSD - TOTAL FOOD TRANSPORTATION DELAY
    TRAND
           - PHYSICAL DELAY IN TRANSPORTING FOOD TO
               CONSUMERS
    IPFTD - FOOD TRANSPORTATION DELAY DUE TO
               INTERMEDIATE PRODUCT SHORTAGE
IPFTD.K=CLIP(0,2,IP,K-IPB,K,0)
                                                      89+ A
TRAND=1 MONTH
                                                      89.1, C
    IPFTD
          - FOOD TRANSPORTATION DELAY DUE TO
               INTERMEDIATE PRODUCT SHORTAGE
    IF.
             INTERMEDIATE PRODUCTS (FUEL, TRUCKS,
               TRACTORS, ETC.)
    IFB
           - THE BACKORDERS (BACKLOG) FOR INTERMEDIATE
               PRODUCTS
    TRAND
           - PHYSICAL DELAY IN TRANSPORTING FOOD TO
               CONSUMERS
FCF.KL=MAX(0,MIN(MFS.K,FCFF.K*PTOTAL.K))
                                                      90 × R
    FCR
           - RATE AT WHICH MATCHED FOOD IS BEING
               CONSUMED
    MFS
           - THE QUANTITY OF FOOD THAT IS MATCHED WITH
                DEMAND
    FCFF
           - AMOUNT OF FOOD CONSUMED PER PERSON
    PTOTAL - TOTAL POPULATION OF SYSTEM
FIOTAL.K=CW.K+FSW.K+IFW.K+FTW.K+OTHER.K+WF.K
                                                     91 r A
    PTOTAL - TOTAL POPULATION OF SYSTEM
    CW
           - THE CAPITAL SECTOR WORKERS
    FSW
           - THE FOOD SUPPLY WORKERS
    ΙFW
           - THE INTERMEDIATE PRODUCTS WORKERS
    FTW
           - THE FOOD TRANSPORT WORKERS
          - - NON-WORKER POPULATION
    OTHER
           - POOL OF WORKERS IN THE SYSTEM POT INTLUYED
                                                      Q(\mathbb{C}) \neq -1
OTHER.K GOTHER.J+(DT)(ONCR.JK)
OTHER=OTHERI
                                                      92.1 · N
OTHERI=6000 PEOPLE
                                                      92.2 €
    OTHER - NON-WORKER FORULATION
         - - OTHER WET CHANGE PYTE
    OTHERS - NON-WORLER TOPOLATION SKITTALLY
```

```
ONOR, KL = NOR*OTHER, K
                                                     93, K
NCR=0.0
                                                     113.18 L
    ONCR
           - OTHER NET CHANGE RATE
    NCR
           - NET CHANGE RATE
    OTHER - NON-WORKER POPULATION
FOPP.K=MIN(130,CLIP(SFOPP.K-DFRPP,MCAPP.K-DFRPP,
                                                    94 • A
  MEAPP.K.SECPP.K))
    FOFF
          - AMOUNT OF FOOD CONSUMED PER PERSON
    SECRE - NSL
    DERPP
          - DESIRED FOOD CONSUMPTION RATE PER PERSON
    MEAPE - AMOUNT OF MATCHED (ON HAND) FOOD AVAILABLE
               PER PERSON
MEAPE.K=MES.K/PTOTAL.K
                                                     95, A
DERFF:0
                                                     95.1. C
           - AMOUNT OF MATCHED (ON HAND) FOOD AVAILABLE
    MEAPP
               PER PERSON
    MES
           - THE QUANTITY OF FOOD THAT IS MATCHED WITH
               DEMAND
    PTOTAL - TOTAL POPULATION OF SYSTEM
    DEREP - DESIRED FOOD CONSUMPTION RATE PER PERSON
SFCPF.K=NSL*SUBM.K
                                                     96, A
NSL=40 LBS
                                                     96.1, C
    SECPP - NSL
    SUBM
         - SUBSISTENCE EXPECTATIONS MULTIPLIER
SUBM.K=TABHL(SUBMT,TIME.K.O.LENGTH,LENGTH)
                                                     97 y A
    SUBM - SUBSISTENCE EXPECTATIONS MULTIPLIER
FSHORT, K=MAX(O, (NFCPP-FCPP, K)/NFCPP)
                                                     98, A
NFCPP=122 LBS
                                                     98.1, C
SUBMT=1/3
                                                     98.2, T
    FORE - AMOUNT OF FOOD CONSUMED PER PERSON
MESB.K=MAX(0, MESORR.JK-FCR.JK)
                                                     99, A
           - THE SHORTAGE OF MATCHED FOOD IN MATCHED
               FOOD SUPPLY
    MESORR - MATCHED FOOD SUPPLY ORDER RECEIVING RATE
               (DEMAND FOR FOOD)
           - RATE AT WHICH MATCHED FOOD IS BEING
    FOR
               CONSUMED
MESORR.KL=SECPP.K*PTOTAL.K
                                                     100 · R
    MESORR - MATCHED FOOD SUPPLY ORDER RECEIVING NATE
               (DEMAND FOR FOOD)
    SECHE - NSL
    PIOTAL - TOTAL POPULATION OF SYSTEM
MESOF.KL=DMES.K*0205
                                                     101 • F:
0205:1
                                                     101.1. (
    MF SOF:
           - MATCHED FOOD SUPPLY ORDER FATE
    DIMES.
           - DEMAND FOR MATCHLD FOOD SUPPLY
           MULTIPLIER FOR OBJETTING MATCHED FORD SREETS
```

```
DHES.K=MESORR.JK
                                                 102 \cdot 6
   DEFS
          -- DEMAND FOR MATCHED FOOD SUPPLY
   MESORR - MATCHED FOOD SUPPLY ORDER RECEIVING RATE
              (DEMAND FOR FOOD)
 WORKER POOL SECTOR
 WE.K=WE.J+(DT)(IPWOUT.JK+CWOUTR.JK+FSWOUT.JK+
 FINOUT.JK-IFWIRAJK-ONING.JK-FSWIRAJK-FTWIPG.JK+
 WESR.JK)
WF=WFI
                                                  103.2s N
WF1=0
                                                  103.3, €
   WF'
          - POOL OF WORKERS IN THE SYSTEM NOT EMPLOYED
   IPWOUT - RATE AT WHICH WORKERS LEAVE IP SECTOR
   CWOUTR - RATE AT WHICH WORKERS LEAVE CAPITAL SECTOR
   FSWOUT - RATE AT WHICH WORKERS LEAVE FOOD SUPPLY
              SECTOR
   FIWOUT - RATE AT WHICH WORKERS LEAVE FOOD
              TRANSPORTATION SECTOR
   IPWING - RATE OF WORKERS ENTERING IP SECTOR
          - RATE OF WORKERS ENTERING CAPITAL SECTOR
   CWINR
   FSWING - RATE AT WHICH WORKERS ENTER FOOD PRODUCTION
              SECTOR
   FTWINE - RATE OF WORKERS ENTERING FOOD
              TRANSFORTATION SECTOR
   WESR
          - WORKER TRANSFER RATE BETWEEN REGIONS IN THE
              SYSTEM
   WEI
          - INITIAL NUMBER OF WORKERS IN WORKER FOOL
WESR.KL≔WEDE*DISCWE.K
                                                  104 v R
WEDE=O PERCENT
                                                  104.19 C
    WESR
          - WORKER TRANSFER RATE BETWEEN REGIONS IN THE
              SYSTEM
    WPDF
          - DELAY FACTOR FOR TRANSFERRING WORKERS
              BETWEEN REGIONS
    DISCMP - DISCREPANCY BETWEEN WORKERS AVAILABLE &
              DEMAND
DISCUP, KHTWD, K-WA, K
                                                 105 · A
   DISCUP - DISCREPANCY BETWEEN WORKERS AVAILABLE &
              DEMAND
   TWI
          - TOTAL NUMBER OF WORKERS DEMANDED
   WA
          - TOTAL NUMBER OF WORDERS AVAILABLE IN THE
              SYSTEM
TWD.K=CWD.K+IPWD.K+FSWD.K+FTWD.K
                                                  106 - 6
          - TOTAL NUMBER OF WORKERS DEMANDED
    TWI
          - DEMAND FOR CAPITAL WORKERS
    CMD
    IPWD
          - DEMAND FOR IP PRODUCTION WORKLAS
    FSWIL
          - DEMAND FOR FOOD JPPLY WJRNERS
          - DEMAND FOR FOOD TRANSPORTATION USERFRS
    FTWI
```

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B
DISTRIBUTION LIST

### DISTRIBUTION LIST

Federal Emergency Management Agency Mitigation and Research ATTN: Administrative Officer Washington, D.C. 20472

Assistant Secretary of the Army (R&D) ATTN: Assistant for Research Washington, D.C. 20301

Chief of Naval Research Washington, D.C. 20360

Commander, Naval Supply Systems
Command (0421G)
Department of the Navy
Washington, D.C. 20376

Commander
Naval Facilities Engineering
Command
Research and Development (Code 0322C)
Department of the Navy
Washington, D.C. 20390

Defense Technical Information Center Cameron Station Alexandria, Virginia 22314

Civil Defense Research Project Oak Ridge National Laboratory ATTN: Librarian P.O. Box X Oak Ridge, Tennessee 37830

Library, General Electric Company Space and RESD Divisions ATTN: Mr. L. I. Chasen, Manager Philadephia, Pennsylvania 19104

Sandia Laboratories
P.O. Box 5800
ATTN: Technical Library 3421-1
Albuquerque, New Mexico 87115

Technical Library U.S. Naval Weapons Laboratory Dahlgreen, Virginia 22448

Architectural and Engineering
Development
Information Center for Civil Defense
540 Engineering Building
University of Florida
Gainsville, Florida 32601

Industrial College of the Armed Forces
Washington, D.C. 20319

Director
USAMC Intern Training Center
Red River Army Depot
ATTN: AMXMX-ITC-1
Texarkana, Texas 75501

Central Intelligence Agency ATTN: CRS/DSB/IAS Washington, D.C. 20505

Commander
Naval Ordinance Laboratory
ATTN: Technical Library
Silver Springs, Maryland 20910

Headquarters, USAF (SAMI) The Pentagon, Room 1D-384 Washington, D.C. 20330

Chief, National Military Command Systems Support Center (Code B210) The Pentagon Washington, D.C. 20310

Office of the Joint Chiefs of Staff The Pentagon, Room 1D-937A Washington, D.C. 20301 Mr. Gerald W. Collins, Executive
Vice President
National Defense Transportation
Association
1612 K Street, N.W., Suite 706
Washington, D.C. 20006

Mr. Harvey Ryland Mission Research Corporation P.O. Drawer 719 Santa Barbara, California 93102

President, Naval War College ATTN: Code 1212 Newport, Rhode Island 02940

Ms. Barbara Burroughs
Technical Library
U.S. Energy Research and Development Administration
Washington, D.C. 20545

Mr. Bjorn Pederson
International Association of
Chiefs of Police
11 Firstfield Road
Gaithersburg, Maryland 20760

National Academy of Sciences (JH-312) Commission on Sociotechnical Systems Committee on Fire Research 2101 Constitution Avenue, N.W. Washington, D.C. 20418

General Research Corporation ATTN: Library/db 7655 Old Spring Road McLean, Virginia 22101

Mr. John Billheimer Systan, Inc. P.O. Box U Los Altos, California 94022

Mr. David L. Jones
Bureau of Economics
Room 38
Interstate Commerce Commission
Washington, D.C. 20423

Mr. Murray Rosenthal System Development Corporation 2500 Colorado Avenue Santa Monica, California 90406

IITRI Institute ATTN: Arthur N. Takata 10 West 35th Street Chicago, Illinois 60616

Stanford Research Institute
ATTN: Francis W. Dresch
Mr. Robert Rodden
Menlo Park, California 94025

Institute for Defense Analysis 400 Army-Navy Drive Arlington, Virginia 22202

Dikewood Corporation 1009 Bradbury Drive, S.E. University Research Park Albuquerque, New Mexico 87106

Dr. William W. Chenault Human Sciences Research, Inc. Westgate Research Park 7710 Old Springhouse Road McLean, Virginia 22101

Hudson Institute Quaker Ridge Road Croton-on-Hudson, New York 10520

Ohio State University Disaster Research Center 127-129 West 10th Avenue Columbus, Ohio 43201

Defense Intelligence Agency ATTN: DS-4A2 Washington, D.C. 20301

URS Research Company 155 Bovet Road San Mateo, California 94402 Mr. Richard K. Laurino
Center for Planning and Research, Inc.
750 Welch Road
Palo Atlo, California 94304

Dr. Maynard M. Stephens 152 Norgate 3500 Division Street Letaire, Louisiana 70002

Dr. Gordon A. Saussy
Director, Division of Business
and Economic Research
University of New Orleans
Lake Front
New Orleans, Louisiana 70122

Dr. Joseph E. Minor
Director, Institute for Disaster
Research
College of Engineering
Texas Tech University
P.O. Box 4078
Lubbock, Texas 79409

Mr. Harvey Lerner Checchi and Company 815 Connecticut Avenue, N.W. Washington, D.C. 20006

Bell Telephone Laboratories, Inc. ATTN: Technical Reports Center Room 2A-160 Whippany Road Whippany, New Jersey 07981

Research Triangle Institute
ATTN: Mr. Robert Hendry
Mr. Don Johnston
P.O. Box 12194
Research Triangle Park, North
Carolina 27709

Boeing Company
MASD Library
ATTN: R. E. Shipp 23-99
P.O. Box 3955
Seattle, Washington 98124

Mr. Robert A. Merchant
Chief, Emergency Planning Staff
Office of the Secretary of the
Treasury
Washington, D.C. 20220

Mr. Harry Guinter
Board of Governors for the Federal
Reserve System
Washington, D.C. 20551

The second secon

Mr. Robert Harker Systam Incorporated 343 2nd Street P.O. Box U Los Altos, California 94022

The Council of State Governments Disaster Assistance Project Suite 300 1225 Connecticut Avenue, N.W. Washington, D.C. 20036

Mr. Leo A. Hoegh
Director, Council of State
Governments
Timpa Road
Chipita Park, Colorado 80811

LTC David Thomas
Defense Nuclear Agency
ATTN: VLWS
Washington, D.C. 20305

Jerome W. Weinstein Defense Intelligence Agency ATTN: DB-4N Washington, D.C. 20301

LTC Donald C. Anselm COPRA OJCS/SAGA The Pentagon Washington, D.C. 20301

Dr. David W. Peterson Pugh-Roberts Associates, Inc. Five Lee Street Cambridge, Massachusetts 01239 Mr. Richard B. Foster Strategic Studies Center SRI International 1611 N. Kent Street Arlington, Virginia 22209

General Leslie Bray
The Analytic Sciences Corporation
1601 N. Kent Street
Suite 1201
Arlington, Virginia 22209

Mr. Mark Earle, Jr.
Director, Center for Economic
Policy Research-Menlo Park
SRI International
333 Ravenswood
Menlo Park, California 94025

Mr. Leonard Sullivan, Jr. Systems Planning Corporation 1500 Wilson Boulevard Suite 1500 Arlington, Virginia 22209

Dr. Howard M. Berger Analytical Assessments Corporation P.O. Box 9758 Marina del Rey, California 90291

MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT (Unclassified), 67 pgs., Analytical Assessments Corporation, DCPA01-78-C-0324, November 1979, FEMA Work Unit No. 4341-E

A systems dynamic model of the post-attack U.S. economy is constructed to study management problems in the immediate post-attack period. The model demonstrates the effects of potential instabilities on the performance of the economy and how alternative management policies could natigate those effects. While results should be qualified as being preliminary, they suggest that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management actions. The results indicate that wability is not assured even if adequate productive capacities survive.

### MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT (Unclassified), 67 pgs., Analytical Assessments Corporation, DCPA01 78 C 0324, November 1979, FEMA Work Control of 4341 E.

Assistent dynamic model of the post-attack L.S. economy is constructed to study management problems in the immediate post-attack period. The model demonstrates the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While results should be qualified as being preliminate they suggest that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management action. The results indicate that viability is not assured even it adequate productive capacities survive.

## MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT (Unclassified), 67 pgs., Analytical Assessments Corporation, DCPA01-78-C-0324, November 1979, FEMA Work Unit No. 4341-E

The state of the s

The second secon

A systems dynamic model of the post-attack U.S. economy is constructed to study management problems in the immediate post-attack period. The model demonstrates the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While results should be qualified as being preliminary, they suggest that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management actions. The results indicate that viability is not assured even if adequate productive capacities survive.

### MANAGING THE U.S. ECONOMY IN A POST-ATTACK ENVIRONMENT (Unclassified), 67 pgs., Analytical Assessments Corporation, DCPA01 78 C 0324, November 1979, FEMAWork Unit No. 4341-6.

A systems dynamic model of the post-attack U.S. economy is constructed to study management problems in the immediate post-attack period. The model demonstrates the effects of potential instabilities on the performance of the economy and how alternative management policies could mitigate those effects. While results should be qualitied as being preliminate, they suggest that the issue of viability is greatly dependent on effective emergency preparedness policies and resource management actions. The results indicate that wability is not assured even if adequate productive capacities survive.

